

Managing River Catchments

[View Online](#)

Alfieri, L. et al. (2017) 'Global projections of river flood risk in a warmer world', *Earth's Future* [Preprint]. Available at: <https://doi.org/10.1002/2016EF000485>.

Arnell, N.W. et al. (2015) 'The implications of climate change for the water environment in England', *Progress in Physical Geography*, 39(1), pp. 93–120. Available at: <https://doi.org/10.1177/0309133314560369>.

Ashmore, P. (2015) 'Towards a sociogeomorphology of rivers', *Geomorphology*, 251, pp. 149–156. Available at: <https://doi.org/10.1016/j.geomorph.2015.02.020>.

Beechie, T. and Imaki, H. (2014) 'Predicting natural channel patterns based on landscape and geomorphic controls in the Columbia River basin, USA', *Water Resources Research*, 50(1), pp. 39–57. Available at: <https://doi.org/10.1002/2013WR013629>.

Beechie, T.J. et al. (2010a) 'Process-based Principles for Restoring River Ecosystems', *BioScience*, 60(3), pp. 209–222. Available at: <https://doi.org/10.1525/bio.2010.60.3.7>.

Beechie, T.J. et al. (2010b) 'Process-based Principles for Restoring River Ecosystems', *BioScience*, 60(3), pp. 209–222. Available at: <https://doi.org/10.1525/bio.2010.60.3.7>.

Belletti, B. et al. (2015) 'A review of assessment methods for river hydromorphology', *Environmental Earth Sciences*, 73(5), pp. 2079–2100. Available at: <https://doi.org/10.1007/s12665-014-3558-1>.

Belletti, B. et al. (2017) 'Characterising physical habitats and fluvial hydromorphology: A new system for the survey and classification of river geomorphic units', *Geomorphology*, 283, pp. 143–157. Available at: <https://doi.org/10.1016/j.geomorph.2017.01.032>.

Bernhardt, E.S. (2005) 'Ecology: Synthesizing U.S. River Restoration Efforts', *Science*, 308(5722), pp. 636–637. Available at: <https://doi.org/10.1126/science.1109769>.

Beven, K.J. et al. (2011a) *Hydrology in practice*. 4th ed. London: Spon Press.

Beven, K.J. et al. (2011b) *Hydrology in practice*. 4th ed. London: Spon Press.

Beven, K.J. (2012) *Rainfall-runoff modelling: the primer*. 2nd ed. Chichester, West Sussex: Wiley-Blackwell.

Brierley, G. et al. (2013) 'Reading the landscape: Integrating the theory and practice of geomorphology to develop place-based understandings of river systems', *Progress in Physical Geography*, 37(5), pp. 601–621. Available at:

<https://doi.org/10.1177/0309133313490007>.

Brierley, G. and Hooke, J. (2015a) 'Emerging geomorphic approaches to guide river management practices', *Geomorphology*, 251, pp. 1–5. Available at: <https://doi.org/10.1016/j.geomorph.2015.08.019>.

Brierley, G. and Hooke, J. (2015b) 'Emerging geomorphic approaches to guide river management practices', *Geomorphology*, 251, pp. 1–5. Available at: <https://doi.org/10.1016/j.geomorph.2015.08.019>.

Brierley, G. and Hooke, J. (2015c) 'Emerging geomorphic approaches to guide river management practices', *Geomorphology*, 251, pp. 1–5. Available at: <https://doi.org/10.1016/j.geomorph.2015.08.019>.

Brierley, G.J. (2000) 'River Styles, a Geomorphic Approach to Catchment Characterization: Implications for River Rehabilitation in Bega Catchment, New South Wales, Australia', *Environmental Management*, 25(6), pp. 661–679. Available at: <https://doi.org/10.1007/s002670010052>.

Brierley, G.J. and Fryirs, K.A. (2005) *Geomorphology and river management: applications of the river styles framework*. Malden, MA: Blackwell Pub.

Burt, S. et al. (2016) 'Cumbrian floods, 5/6 December 2015', *Weather*, 71(2), pp. 36–37. Available at: <https://doi.org/10.1002/wea.2704>.

Burt, T.P. and Allison, R.J. (2010) *Sediment cascades: an integrated approach*. Chichester: Wiley-Blackwell.

Cabinet Office (2016) 'National Flood Resilience Review'. Available at: <https://www.gov.uk/government/publications/national-flood-resilience-review>.

Cabinet office (no date) 'The Pitt Review: Lessons learned from the 2007 floods'. Available at: http://webarchive.nationalarchives.gov.uk/20100807034701/http://archive.cabinetoffice.gov.uk/pittreview/thepittreview/final_report.html.

Church, M.A. et al. (2012) *Gravel-bed rivers: processes, tools, environments*. Chichester, West Sussex: Wiley-Blackwell.

CIRIA (2016) 'River weirs - Design, maintenance, modification and removal'. Available at: [http://www.cpwf.co.uk/C763%20River%20weirs.%20Design,%20maintenance,%20modification%20and%20removal%20\(web\)%20\(1\).pdf](http://www.cpwf.co.uk/C763%20River%20weirs.%20Design,%20maintenance,%20modification%20and%20removal%20(web)%20(1).pdf).

CIWEM (2011) 'Integrated Water Management'. Available at: <http://www.ciwem.org/wp-content/uploads/2016/02/Integrated-Water-Managment-Report.pdf>.

CIWEM (2014) 'Floods and dredging: a reality check'. Available at: <http://www.ciwem.org/wp-content/uploads/2016/02/Floods-and-Dredging-a-reality-check.pdf>.

Coaker, T.H. (1981) *Advances in applied biology: Vol. 6: edited by T.H. Coaker*. London:

Academic Press.

Cox et al, S.C. (no date) GNS Science report 2014/07 : Activity of the landslide Te Horo and Te Koroka fan, Dart River, New Zealand during January 2014. Available at: https://shop.gns.cri.nz/sr_2014-007-pdf/.

Davies, T.R.H. and Lee, A.L. (no date) 'Physical hydraulic modelling of width reduction and bed level change in braided rivers', *Journal of Hydrology (New Zealand)*, 27(2), pp. 113–127. Available at: <https://ezproxy.lib.gla.ac.uk/login?url=https://www.jstor.org/stable/43944615>.

Davies, T.R.H., McSaveney, M.J. and Clarkson, P.J. (2003) 'Anthropic aggradation of the Waiho River, Westland, New Zealand: microscale modelling', *Earth Surface Processes and Landforms*, 28(2), pp. 209–218. Available at: <https://doi.org/10.1002/esp.449>.

defra (2005) 'Making space for water: Taking forward a new Government strategy for flood and coastal erosion risk management in England'. Available at: <http://webarchive.nationalarchives.gov.uk/20130402151656/http://archive.defra.gov.uk/environment/flooding/documents/policy/strategy/strategy-response1.pdf>.

Diamond, J.M. (2006) *Collapse: how societies choose to fail or survive*. London: Penguin Books.

Dixon, S.J. et al. (2016) 'The effects of river restoration on catchment scale flood risk and flood hydrology', *Earth Surface Processes and Landforms*, 41(7), pp. 997–1008. Available at: <https://doi.org/10.1002/esp.3919>.

Downs, P. and Kondolf, G.M. (2002) 'Post-Project Appraisals in Adaptive Management of River Channel Restoration', *Environmental Management*, 29(4), pp. 477–496. Available at: <https://doi.org/10.1007/s00267-001-0035-X>.

Dufour, S. and Piégay, H. (2009) 'From the myth of a lost paradise to targeted river restoration: forget natural references and focus on human benefits', *River Research and Applications*, 25(5), pp. 568–581. Available at: <https://doi.org/10.1002/rra.1239>.

East, A.E. et al. (2015) 'Large-scale dam removal on the Elwha River, Washington, USA: River channel and floodplain geomorphic change', *Geomorphology*, 228, pp. 765–786. Available at: <https://doi.org/10.1016/j.geomorph.2014.08.028>.

Ebooks Corporation Limited (2016a) *Tools in fluvial geomorphology*. Second edition. Edited by G.M. Kondolf and H. Piégay. Chichester: John Wiley & Sons. Available at: <https://ebookcentral.proquest.com/lib/gla/detail.action?docID=4517652>.

Ebooks Corporation Limited (2016b) *Tools in fluvial geomorphology*. Second edition. Edited by G.M. Kondolf and H. Piégay. Chichester: John Wiley & Sons. Available at: <https://ebookcentral.proquest.com/lib/gla/detail.action?docID=4517652>.

ECRR website (no date). Available at: <http://www.ecrr.org/>.

'Elwha River following dam removal' (2AD). Available at: <https://www.youtube.com/watch?v=VipVo8zPH0U>.

Elwha River Restoration Project - videos (no date). Available at:
<https://walrus.wr.usgs.gov/elwha/products.html#videos>.

Engineering geology for society and territory: Volume 3: River basins, reservoir sedimentation and water resources (2015). Cham, Switzerland: Springer International Publishing. Available at:
<https://ezproxy.lib.gla.ac.uk/login?url=https://link.springer.com/10.1007/978-3-319-09054-2>.

Environment Agency (2014) 'Working with natural processes to reduce flood risk: science report'. Available at:
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/338437/SC130004_R2.pdf.

Environment Agency (2016) 'How to model and map catchment processes when flood risk management planning'. Available at:
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/523456/How_to_model_and_map_catchment_processes_-_report.pdf.

Ferranti, E., Chapman, L. and Whyatt, D. (2017) 'A Perfect Storm? The collapse of Lancaster's critical infrastructure networks following intense rainfall on 4/5 December 2015', *Weather*, 72(1), pp. 3–7. Available at: <https://doi.org/10.1002/wea.2907>.

Fryirs, K.A. and Brierley, G.J. (2013) *Geomorphic analysis of river systems: an approach to reading the landscape*. Chichester, West Sussex: Wiley.

Future flooding (no date). Available at:
<https://www.gov.uk/government/publications/future-flooding>.

Gao, J., Holden, J. and Kirkby, M. (2016) 'The impact of land-cover change on flood peaks in peatland basins', *Water Resources Research*, 52(5), pp. 3477–3492. Available at:
<https://doi.org/10.1002/2015WR017667>.

Gartner, J.D., Magilligan, F.J. and Renshaw, C.E. (2015) 'Predicting the type, location and magnitude of geomorphic responses to dam removal: Role of hydrologic and geomorphic constraints', *Geomorphology*, 251, pp. 20–30. Available at:
<https://doi.org/10.1016/j.geomorph.2015.02.023>.

Gilvear, D.J., Casas-Mulet, R. and Spray, C.J. (2012) 'Trends and issues in delivery of integrated catchment scale river restoration: Lessons learned from a national river restoration survey within Scotland', *River Research and Applications*, 28(2), pp. 234–246. Available at: <https://doi.org/10.1002/rra.1437>.

Gilvear, D.J., Heal, K.V. and Stephen, A. (2002) 'Hydrology and the ecological quality of Scottish river ecosystems', *Science of The Total Environment*, 294(1–3), pp. 131–159. Available at: [https://doi.org/10.1016/S0048-9697\(02\)00060-8](https://doi.org/10.1016/S0048-9697(02)00060-8).

Gregory, K.J. and Goudie, A. (2011) *The SAGE handbook of geomorphology*. London: SAGE.

Grill, G. et al. (2015) 'An index-based framework for assessing patterns and trends in river fragmentation and flow regulation by global dams at multiple scales', *Environmental*

Research Letters, 10(1). Available at: <https://doi.org/10.1088/1748-9326/10/1/015001>.

Gurnell, A.M. et al. (2016) 'A multi-scale hierarchical framework for developing understanding of river behaviour to support river management', *Aquatic Sciences*, 78(1), pp. 1–16. Available at: <https://doi.org/10.1007/s00027-015-0424-5>.

Hawley, S. (2012) *Recovering a lost river: removing dams, rewilding salmon, revitalizing communities*. Boston, Mass: Beacon Press.

Hirabayashi, Y. et al. (2013) 'Global flood risk under climate change', *Nature Climate Change*, 3(9), pp. 816–821. Available at: <https://doi.org/10.1038/nclimate1911>.

Institute for European Environmental Policy (2016) *The potential policy and environmental consequences for the UK of a departure from the European Union*. Available at: <http://www.ieep.eu/news/2016/08/the-uk-referendum-what-it-means-for-the-environment-and-for-ieep>.

J. M. Buffington (no date) 'Geomorphic classification of rivers'. Available at: <https://www.treeseearch.fs.fed.us/pubs/43354>.

James, L.A. (2015) 'Designing forward with an eye to the past: Morphogenesis of the lower Yuba River', *Geomorphology*, 251, pp. 31–49. Available at: <https://doi.org/10.1016/j.geomorph.2015.07.009>.

JBA (2015) 'Nature-based approaches for catchment flood management: an online catalogue'. Available at: http://www.jbatrust.org/wp-content/uploads/2016/02/W15-0603-Nature-Based-approaches-to-Catchment-Improvements-Sept-2015-FINAL_v0.1.pdf.

Jenkins, G.J. (2007) 'The climate of the United Kingdom and recent trends'. Available at: http://www.ukcip.org.uk/wp-content/PDFs/UKCP09_Trends.pdf.

Jongman, B. et al. (2014) 'Increasing stress on disaster-risk finance due to large floods', *Nature Climate Change*, 4(4), pp. 264–268. Available at: <https://doi.org/10.1038/nclimate2124>.

Jongman, B., Ward, P.J. and Aerts, J.C.J.H. (2012) 'Global exposure to river and coastal flooding: Long term trends and changes', *Global Environmental Change*, 22(4), pp. 823–835. Available at: <https://doi.org/10.1016/j.gloenvcha.2012.07.004>.

'Journal of Hydrology (New Zealand)' (no date). Available at: <https://eleanor.lib.gla.ac.uk/record=b2647865>.

Kallis, G. (2001) 'The EU water framework directive: measures and implications', *Water Policy*, 3(2), pp. 125–142. Available at: [https://doi.org/10.1016/S1366-7017\(01\)00007-1](https://doi.org/10.1016/S1366-7017(01)00007-1).

Kasprak, A. et al. (2016) 'The Blurred Line between Form and Process: A Comparison of Stream Channel Classification Frameworks', *PLOS ONE*, 11(3). Available at: <https://doi.org/10.1371/journal.pone.0150293>.

Koebel, J.W. and Bousquin, S.G. (2014) 'The Kissimmee River Restoration Project and Evaluation Program, Florida, U.S.A.', *Restoration Ecology*, 22(3), pp. 345–352. Available at:

<https://doi.org/10.1111/rec.12063>.

Kondolf, G.M. (1997) 'Hungry Water: Effects of Dams and Gravel Mining on River Channels', *Environmental Management*, 21(4), pp. 533–551. Available at: <https://doi.org/10.1007/s002679900048>.

Kondolf, G.M., Rubin, Z.K. and Minear, J.T. (2014) 'Dams on the Mekong: Cumulative sediment starvation', *Water Resources Research*, 50(6), pp. 5158–5169. Available at: <https://doi.org/10.1002/2013WR014651>.

Korup, O. (2005) 'Geomorphic imprint of landslides on alpine river systems, southwest New Zealand', *Earth Surface Processes and Landforms*, 30(7), pp. 783–800. Available at: <https://doi.org/10.1002/esp.1171>.

Korup, O., Densmore, A.L. and Schlunegger, F. (2010) 'The role of landslides in mountain range evolution', *Geomorphology*, 120(1–2), pp. 77–90. Available at: <https://doi.org/10.1016/j.geomorph.2009.09.017>.

Kummu, M. (2009) 'Water management in Angkor: Human impacts on hydrology and sediment transportation', *Journal of Environmental Management*, 90(3), pp. 1413–1421. Available at: <https://doi.org/10.1016/j.jenvman.2008.08.007>.

Lave, R., Doyle, M. and Robertson, M. (2010) 'Privatizing stream restoration in the US', *Social Studies of Science*, 40(5), pp. 677–703. Available at: <https://doi.org/10.1177/0306312710379671>.

Lehner, B. et al. (2011) 'High-resolution mapping of the world's reservoirs and dams for sustainable river-flow management', *Frontiers in Ecology and the Environment*, 9(9), pp. 494–502. Available at: <https://ezproxy.lib.gla.ac.uk/login?url=https://www.jstor.org/stable/23034466>.

Lessard, J. et al. (2013) 'Dam Design can Impede Adaptive Management of Environmental Flows: A Case Study from the Opuha Dam, New Zealand', *Environmental Management*, 51(2), pp. 459–473. Available at: <https://doi.org/10.1007/s00267-012-9971-x>.

Lewin, J. (2013) 'Enlightenment and the GM floodplain', *Earth Surface Processes and Landforms*, 38(1), pp. 17–29. Available at: <https://doi.org/10.1002/esp.3230>.

Lichatowich, J. (1999) *Salmon without rivers: a history of the Pacific salmon crisis*. Washington, D.C.: Island Press.

Luo, X.X. et al. (2017) 'New evidence of Yangtze delta recession after closing of the Three Gorges Dam', *Scientific Reports*, 7. Available at: <https://doi.org/10.1038/srep41735>.

Maddock, I. et al. (eds) (2013) *Ecohydraulics: an integrated approach*. Chichester, West Sussex: Wiley Blackwell.

Magilligan, F.J. et al. (2016) 'Immediate changes in stream channel geomorphology, aquatic habitat, and fish assemblages following dam removal in a small upland catchment', *Geomorphology*, 252, pp. 158–170. Available at: <https://doi.org/10.1016/j.geomorph.2015.07.027>.

Magilligan, F.J. and Nislow, K.H. (2005a) 'Changes in hydrologic regime by dams', *Geomorphology*, 71(1-2), pp. 61-78. Available at: <https://doi.org/10.1016/j.geomorph.2004.08.017>.

Magilligan, F.J. and Nislow, K.H. (2005b) 'Changes in hydrologic regime by dams', *Geomorphology*, 71(1-2), pp. 61-78. Available at: <https://doi.org/10.1016/j.geomorph.2004.08.017>.

Major, J.J. et al. (2012) 'Geomorphic Response of the Sandy River, Oregon, to Removal of Marmot Dam : U.S. Geological Survey Professional Paper 1792'. Available at: <https://pubs.usgs.gov/pp/1792/>.

Mapes, L. and Ringman, S. (2013) *Elwha: a river reborn*. First edition. Seattle, WA: The Mountaineers Books.

'Marmot Dam Removal' (30AD). Available at: <https://www.youtube.com/watch?v=i1NI2ia3nDw>.

Marsh et al, T. (no date) 'The winter floods of 2015/2016 in the UK'. Available at: <https://nora.nerc.ac.uk/515303/>.

Modular River Survey (no date). Available at: <http://modularriversurvey.org/>.

Moir, H.J. et al. (2004) 'Linking channel geomorphic characteristics to spatial patterns of spawning activity and discharge use by Atlantic salmon (*Salmo salar* L.)', *Geomorphology*, 60(1-2), pp. 21-35. Available at: <https://doi.org/10.1016/j.geomorph.2003.07.014>.

Moir, H.J. et al. (2005) 'PHABSIM modelling of Atlantic salmon spawning habitat in an upland stream: testing the influence of habitat suitability indices on model output', *River Research and Applications*, 21(9), pp. 1021-1034. Available at: <https://doi.org/10.1002/rra.869>.

Moir, H.J. and Pasternack, G.B. (2008) 'Relationships between mesoscale morphological units, stream hydraulics and Chinook salmon (*Oncorhynchus tshawytscha*) spawning habitat on the Lower Yuba River, California', *Geomorphology*, 100(3-4), pp. 527-548. Available at: <https://doi.org/10.1016/j.geomorph.2008.02.001>.

Montgomery, D.R. (1997) 'Channel-reach morphology in mountain drainage basins', *GSA Bulletin*, 109(5), pp. 596-611. Available at: <https://ezproxy.lib.gla.ac.uk/login?url=https://pubs.geoscienceworld.org/gsa/gsabulletin/article/109/5/596/183255/channel-reach-morphology-in-mountain-drainage>.

Morandi, B. et al. (2014) 'How is success or failure in river restoration projects evaluated? Feedback from French restoration projects', *Journal of Environmental Management*, 137, pp. 178-188. Available at: <https://doi.org/10.1016/j.jenvman.2014.02.010>.

National River Flow Archive: Occasional Reports (no date). Available at: <http://nrfa.ceh.ac.uk/occasional-reports>.

Natural Water Retention Measures (no date). Available at: <http://nwrn.eu/>.

Newson, Malcolm.D. and Large, A.R.G. (2006) "'Natural" rivers, "hydromorphological

quality" and river restoration: a challenging new agenda for applied fluvial geomorphology', *Earth Surface Processes and Landforms*, 31(13), pp. 1606–1624. Available at: <https://doi.org/10.1002/esp.1430>.

O'Connell, P.E. et al. (2007) 'Is there a link between agricultural land-use management and flooding?', *Hydrology and Earth System Sciences*, 11(1), pp. 96–107. Available at: <https://doi.org/10.5194/hess-11-96-2007>.

O'Connor, J.E., Duda, J.J. and Grant, G.E. (2015) '1000 dams down and counting', *Science*, 348(6234), pp. 496–497. Available at: <https://doi.org/10.1126/science.aaa9204>.

Olsen, J.R. (2006) 'Climate Change and Floodplain Management in the United States', *Climatic Change*, 76(3–4), pp. 407–426. Available at: <https://doi.org/10.1007/s10584-005-9020-3>.

Pall, P. et al. (2011) 'Anthropogenic greenhouse gas contribution to flood risk in England and Wales in autumn 2000', *Nature*, 470(7334), pp. 382–385. Available at: <https://doi.org/10.1038/nature09762>.

Palmer, M.A., Menninger, H.L. and Bernhardt, E. (2010) 'River restoration, habitat heterogeneity and biodiversity: a failure of theory or practice?', *Freshwater Biology*, 55, pp. 205–222. Available at: <https://doi.org/10.1111/j.1365-2427.2009.02372.x>.

Pender, G. and Faulkner, H. (2011) *Flood risk science and management*. Chichester: Wiley-Blackwell.

Perfect, C., Addy, S. and Gilvear, D. (2013) *The Scottish Rivers Handbook*. Available at: <https://www.crew.ac.uk/publication/scottish-rivers-handbook>.

Pizzuto, J. (no date) 'Effects of dam removal on river form and process', *BioScience*, 52(8), pp. 683–691. Available at: <https://ezproxy.lib.gla.ac.uk/login?url=https://go.galegroup.com/ps/i.do?p=AONE&u=gilasuni&id=GALE|A90317048&v=2.1&it=r&sid=summon&authCount=1>.

Podolak, C.J.P. (2014) 'A visual framework for displaying, communicating and coordinating a river restoration monitoring project', *River Research and Applications*, 30(4), pp. 527–535. Available at: <https://doi.org/10.1002/rra.2651>.

Raven, E.K., Lane, S.N. and Bracken, L.J. (2010) 'Understanding sediment transfer and morphological change for managing upland gravel-bed rivers', *Progress in Physical Geography*, 34(1), pp. 23–45. Available at: <https://doi.org/10.1177/0309133309355631>.

Reid, H.E. and Brierley, G.J. (2015) 'Assessing geomorphic sensitivity in relation to river capacity for adjustment', *Geomorphology*, 251, pp. 108–121. Available at: <https://doi.org/10.1016/j.geomorph.2015.09.009>.

Rinaldi, M. et al. (2016a) 'Classification of river morphology and hydrology to support management and restoration', *Aquatic Sciences*, 78(1), pp. 17–33. Available at: <https://doi.org/10.1007/s00027-015-0438-z>.

Rinaldi, M. et al. (2016b) 'Classification of river morphology and hydrology to support

management and restoration', *Aquatic Sciences*, 78(1), pp. 17–33. Available at: <https://doi.org/10.1007/s00027-015-0438-z>.

River Styles (no date). Available at: <http://www.riverstyles.com/>.

Roni, P. and Beechie, T.J. (2013) *Stream and watershed restoration: a guide to restoring riverine processes and habitats*. Chichester: Wiley-Blackwell.

Rosgen, D.L. (1994) 'A classification of natural rivers', *CATENA*, 22(3), pp. 169–199. Available at: [https://doi.org/10.1016/0341-8162\(94\)90001-9](https://doi.org/10.1016/0341-8162(94)90001-9).

Royal Geographical Society (2012) 'Water policy in the UK: the challenges'. Available at: https://www.rgs.org/NR/rdonlyres/4D9A57E4-A053-47DC-9A76-BDBEF0EA0F5C/0/RGSIBGPo licyDocumentWater_732pp.pdf.

RSPB (2014) 'Flooding in focus'. Available at: https://www.rspb.org.uk/Images/flooding-in-focus_tcm9-386202.pdf.

Ryan Bellmore, J. et al. (2017) 'Status and trends of dam removal research in the United States', *Wiley Interdisciplinary Reviews: Water*, 4(2). Available at: <https://doi.org/10.1002/wat2.1164>.

Sambrook Smith, G.H. (2006) *Braided rivers: process, deposits, ecology, and management*. Malden, MA: Blackwell Pub.

Schaller, N. et al. (2016) 'Human influence on climate in the 2014 southern England winter floods and their impacts', *Nature Climate Change*, 6(6), pp. 627–634. Available at: <https://doi.org/10.1038/nclimate2927>.

Schottler, S.P. et al. (2014) 'Twentieth century agricultural drainage creates more erosive rivers', *Hydrological Processes*, 28(4), pp. 1951–1961. Available at: <https://doi.org/10.1002/hyp.9738>.

Scotland & Northern Ireland Forum for Environmental Research (no date) 'A handbook of climate trends across Scotland (SNIFFER project CC03)'. Available at: https://www.south-ayrshire.gov.uk/documents/sniffer%20partnership_climate%20change%20trend%20handbook%20june%2006.pdf.

Scottish Environmental Protection Agency (no date) 'Supporting guidance (WAT-SG-21): Environmental Standards for River Morphology'. Available at: https://www.sepa.org.uk/media/152194/wat_sg_21.pdf.

SEPA (2005) 'Scotland River Basin District : Characterisation and impacts analyses required by article 5 of the Water Framework Directive'. Available at: https://www.sepa.org.uk/media/37505/rbmp_scotland_characterisation-impacts-analysis_article5.pdf.

SEPA (2007) 'Significant water management issues in the Scotland river basin district'. Available at: https://www.sepa.org.uk/media/37765/significant-water-management-issues_scotland.pdf.

SEPA (2011) 'Flood Risk Management Strategies and Local Flood Risk Management Plans'. Available at: http://www.sepa.org.uk/media/42632/frm_strategies_and_lfrm_plans.pdf.

SEPA (2012) 'Supporting Guidance (WAT-SG-21) : Environmental Standards for River Morphology'. Available at: https://www.sepa.org.uk/media/152194/wat_sg_21.pdf.

SEPA (2015) 'Natural flood management handbook'. Available at: <http://www.sepa.org.uk/media/163560/sepa-natural-flood-management-handbook1.pdf>.

Simon, A. et al. (2011) Stream restoration in dynamic fluvial systems: scientific approaches, analyses, and tools. Washington, DC: American Geophysical Union.

Slater, L.J. (2016) 'To what extent have changes in channel capacity contributed to flood hazard trends in England and Wales?', *Earth Surface Processes and Landforms*, 41(8), pp. 1115–1128. Available at: <https://doi.org/10.1002/esp.3927>.

Slater, L.J., Singer, M.B. and Kirchner, J.W. (2015) 'Hydrologic versus geomorphic drivers of trends in flood hazard', *Geophysical Research Letters*, 42(2), pp. 370–376. Available at: <https://doi.org/10.1002/2014GL062482>.

Smith, B., Clifford, N.J. and Mant, J. (2014) 'Analysis of UK river restoration using broad-scale data sets', *Water and Environment Journal*, 28(4), pp. 490–501. Available at: <https://doi.org/10.1111/wej.12063>.

Smith, M.J., Paron, P. and Griffiths, J.S. (2011) *Geomorphological mapping: methods and applications* [electronic resource]. 1st ed. Oxford: Elsevier. Available at: <https://ezproxy.lib.gla.ac.uk/login?url=https://www.sciencedirect.com/science/book/9780444534460>.

Smith, S.M. and Prestegard, K.L. (2005) 'Hydraulic performance of a morphology-based stream channel design', *Water Resources Research*, 41(11), p. n/a-n/a. Available at: <https://doi.org/10.1029/2004WR003926>.

'Snake River' (7AD). Available at: <https://www.youtube.com/watch?v=DK5nUXkrz8o>.

Syvitski, J.P.M. (2005) 'Impact of Humans on the Flux of Terrestrial Sediment to the Global Coastal Ocean', *Science*, 308(5720), pp. 376–380. Available at: <https://doi.org/10.1126/science.1109454>.

Tadaki, M., Brierley, G. and Cullum, C. (2014) 'River classification: theory, practice, politics', *Wiley Interdisciplinary Reviews: Water*, p. n/a-n/a. Available at: <https://doi.org/10.1002/wat2.1026>.

The River Restoration Centre (no date). Available at: <http://www.therrc.co.uk/>.

Thomas et al, J.S. (no date) GNS Science report 2009/43: 42 years evolution of Slip Stream landslide and fan, Dart River, New Zealand. Available at: https://shop.gns.cri.nz/sr_2009-43-pdf/.

Thorne, C. (2014) 'Geographies of UK flooding in 2013/4', *The Geographical Journal*, 180(4), pp. 297–309. Available at: <https://doi.org/10.1111/geoj.12122>.

United Nations Office for Disaster Risk Reduction (no date) 'Global assessment report on disaster risk reduction 2015'. Available at:
<https://www.unisdr.org/we/inform/publications/42809>.

United Nations Office for Disaster Risk Reduction and Centre for Research on Epidemiology of Disasters (no date) 'The human cost of weather-related disasters 1995-2015'. Available at: <https://www.unisdr.org/we/inform/publications/46796>.

Werritty, A., Hoey, T.B., and Scottish Natural Heritage (Agency) (2004) Geomorphological changes and trends in Scotland: river channels and processes [electronic resource]. Edinburgh: Scottish Natural Heritage. Available at:
https://www.snh.org.uk/pdfs/publications/commissioned_reports/F00AC107B.pdf.

Werritty, A. and Leys, K.F. (2001) 'The sensitivity of Scottish rivers and upland valley floors to recent environmental change', CATENA, 42(2-4), pp. 251-273. Available at:
[https://doi.org/10.1016/S0341-8162\(00\)00140-5](https://doi.org/10.1016/S0341-8162(00)00140-5).

Wohl, E., Lane, S.N. and Wilcox, A.C. (2015) 'The science and practice of river restoration', Water Resources Research, 51(8), pp. 5974-5997. Available at:
<https://doi.org/10.1002/2014WR016874>.

Wohl, E. and Merritts, D.J. (2007) 'What Is a Natural River?', Geography Compass, 1(4), pp. 871-900. Available at: <https://doi.org/10.1111/j.1749-8198.2007.00049.x>.

Wohl, E.E. (2014) Rivers in the landscape: science and management. Chichester, West Sussex: John Wiley & Sons Inc.

Working with natural processes to reduce flood risk : JBA Trust - Interactive map (no date). Available at:
<http://www.jbatrust.org/news/working-with-natural-processes-to-reduce-flood-risk/>.

World Commission on Dams (2000) 'Dams and development: a new framework for decision-making'. Available at:
https://www.internationalrivers.org/sites/default/files/attached-files/world_commission_on_dams_final_report.pdf.

Yang, S.L. et al. (2011) '50,000 dams later: Erosion of the Yangtze River and its delta', Global and Planetary Change, 75(1-2), pp. 14-20. Available at:
<https://doi.org/10.1016/j.gloplacha.2010.09.006>.

Young, S.M. and Ishiga, H. (2014) 'Environmental change of the fluvial-estuary system in relation to Arase Dam removal of the Yatsushiro tidal flat, SW Kyushu, Japan', Environmental Earth Sciences, 72(7), pp. 2301-2314. Available at:
<https://doi.org/10.1007/s12665-014-3139-3>.

Zarfl, C. et al. (2015) 'A global boom in hydropower dam construction', Aquatic Sciences, 77(1), pp. 161-170. Available at: <https://doi.org/10.1007/s00027-014-0377-0>.