

Managing River Catchments

[View Online](#)

[1]

D. J. Gilvear, K. V. Heal, and A. Stephen, 'Hydrology and the ecological quality of Scottish river ecosystems', *Science of The Total Environment*, vol. 294, no. 1-3, pp. 131-159, Jul. 2002, doi: 10.1016/S0048-9697(02)00060-8.

[2]

J. Lewin, 'Enlightenment and the GM floodplain', *Earth Surface Processes and Landforms*, vol. 38, no. 1, pp. 17-29, Jan. 2013, doi: 10.1002/esp.3230.

[3]

C. Perfect, S. Addy, and D. Gilvear, *The Scottish Rivers Handbook*. 2013 [Online]. Available: <https://www.crew.ac.uk/publication/scottish-rivers-handbook>

[4]

A. Werritty and K. F. Leys, 'The sensitivity of Scottish rivers and upland valley floors to recent environmental change', *CATENA*, vol. 42, no. 2-4, pp. 251-273, Jan. 2001, doi: 10.1016/S0341-8162(00)00140-5.

[5]

A. Werritty, T. B. Hoey, and Scottish Natural Heritage (Agency), *Geomorphological changes and trends in Scotland: river channels and processes*, vol. no. 053. Edinburgh: Scottish Natural Heritage, 2004 [Online]. Available: https://www.snh.org.uk/pdfs/publications/commissioned_reports/F00AC107B.pdf

[6]

J. P. M. Syvitski, 'Impact of Humans on the Flux of Terrestrial Sediment to the Global Coastal Ocean', *Science*, vol. 308, no. 5720, pp. 376–380, Apr. 2005, doi: 10.1126/science.1109454.

[7]

B. Belletti et al., 'Characterising physical habitats and fluvial hydromorphology: A new system for the survey and classification of river geomorphic units', *Geomorphology*, vol. 283, pp. 143–157, Apr. 2017, doi: 10.1016/j.geomorph.2017.01.032.

[8]

G. Brierley and J. Hooke, 'Emerging geomorphic approaches to guide river management practices', *Geomorphology*, vol. 251, pp. 1–5, Dec. 2015, doi: 10.1016/j.geomorph.2015.08.019.

[9]

G. J. Brierley and K. A. Fryirs, *Geomorphology and river management: applications of the river styles framework*. Malden, MA: Blackwell Pub, 2005.

[10]

G. Brierley, K. Fryirs, C. Cullum, M. Tadaki, H. Q. Huang, and B. Blue, 'Reading the landscape: Integrating the theory and practice of geomorphology to develop place-based understandings of river systems', *Progress in Physical Geography*, vol. 37, no. 5, pp. 601–621, Oct. 2013, doi: 10.1177/0309133313490007.

[11]

G. Brierley and J. Hooke, 'Emerging geomorphic approaches to guide river management practices', *Geomorphology*, vol. 251, pp. 1–5, Dec. 2015, doi: 10.1016/j.geomorph.2015.08.019.

[12]

K. A. Fryirs and G. J. Brierley, *Geomorphic analysis of river systems: an approach to reading the landscape*. Chichester, West Sussex: Wiley, 2013.

[13]

A. M. Gurnell et al., 'A multi-scale hierarchical framework for developing understanding of river behaviour to support river management', *Aquatic Sciences*, vol. 78, no. 1, pp. 1–16, Jan. 2016, doi: 10.1007/s00027-015-0424-5.

[14]

P. Roni and T. J. Beechie, *Stream and watershed restoration: a guide to restoring riverine processes and habitats*, vol. *Advancing river restoration and management*. Chichester: Wiley-Blackwell, 2013.

[15]

E. E. Wohl, *Rivers in the landscape: science and management*. Chichester, West Sussex: John Wiley & Sons Inc, 2014.

[16]

Ebooks Corporation Limited, *Tools in fluvial geomorphology*, Second edition., vol. *Applied legal philosophy*. Chichester: John Wiley & Sons, 2016 [Online]. Available: <https://ebookcentral.proquest.com/lib/gla/detail.action?docID=4517652>

[17]

H. E. Reid and G. J. Brierley, 'Assessing geomorphic sensitivity in relation to river capacity for adjustment', *Geomorphology*, vol. 251, pp. 108–121, Dec. 2015, doi: 10.1016/j.geomorph.2015.09.009.

[18]

M. J. Smith, P. Paron, and J. S. Griffiths, *Geomorphological mapping: methods and applications*, 1st ed., vol. *Developments in earth surface processes*. Oxford: Elsevier, 2011 [Online]. Available: <https://ezproxy.lib.gla.ac.uk/login?url=https://www.sciencedirect.com/science/book/9780444534460>

[19]

T. R. H. Davies and A. L. Lee, 'Physical hydraulic modelling of width reduction and bed level change in braided rivers', *Journal of Hydrology (New Zealand)*, vol. 27, no. 2, pp. 113–127 [Online]. Available: <https://ezproxy.lib.gla.ac.uk/login?url=https://www.jstor.org/stable/43944615>

[20]

'*Journal of Hydrology (New Zealand)*' [Online]. Available: <https://eleanor.lib.gla.ac.uk/record=b2647865>

[21]

T. P. Burt and R. J. Allison, *Sediment cascades: an integrated approach*. Chichester: Wiley-Blackwell, 2010.

[22]

T. R. H. Davies, M. J. McSaveney, and P. J. Clarkson, 'Anthropic aggradation of the Waiho River, Westland, New Zealand: microscale modelling', *Earth Surface Processes and Landforms*, vol. 28, no. 2, pp. 209–218, Feb. 2003, doi: 10.1002/esp.449.

[23]

O. Korup, 'Geomorphic imprint of landslides on alpine river systems, southwest New Zealand', *Earth Surface Processes and Landforms*, vol. 30, no. 7, pp. 783–800, Jul. 2005, doi: 10.1002/esp.1171.

[24]

O. Korup, A. L. Densmore, and F. Schlunegger, 'The role of landslides in mountain range evolution', *Geomorphology*, vol. 120, no. 1–2, pp. 77–90, Aug. 2010, doi: 10.1016/j.geomorph.2009.09.017.

[25]

S. C. Cox et al, GNS Science report 2014/07 : Activity of the landslide Te Horo and Te Koroka fan, Dart River, New Zealand during January 2014. [Online]. Available: https://shop.gns.cri.nz/sr_2014-007-pdf/

[26]

J. S. Thomas et al, GNS Science report 2009/43: 42 years evolution of Slip Stream landslide and fan, Dart River, New Zealand. [Online]. Available: https://shop.gns.cri.nz/sr_2009-43-pdf/

[27]

CIWEM, 'Floods and dredging: a reality check'. 2014 [Online]. Available: <http://www.ciwem.org/wp-content/uploads/2016/02/Floods-and-Dredging-a-reality-check.pdf>

[28]

M. Kummu, 'Water management in Angkor: Human impacts on hydrology and sediment transportation', *Journal of Environmental Management*, vol. 90, no. 3, pp. 1413–1421, Mar. 2009, doi: 10.1016/j.jenvman.2008.08.007.

[29]

J. M. Diamond, *Collapse: how societies choose to fail or survive*, vol. Penguin history. London: Penguin Books, 2006.

[30]

B. Belletti, M. Rinaldi, A. D. Buijse, A. M. Gurnell, and E. Mosselman, 'A review of assessment methods for river hydromorphology', *Environmental Earth Sciences*, vol. 73, no. 5, pp. 2079–2100, Mar. 2015, doi: 10.1007/s12665-014-3558-1.

[31]

J. M. Buffington, 'Geomorphic classification of rivers'. pp. 730–767 [Online]. Available: <https://www.treesearch.fs.fed.us/pubs/43354>

[32]

Ebooks Corporation Limited, *Tools in fluvial geomorphology*, Second edition., vol. Applied legal philosophy. Chichester: John Wiley & Sons, 2016 [Online]. Available: <https://ebookcentral.proquest.com/lib/gla/detail.action?docID=4517652>

[33]

M. Rinaldi, A. M. Gurnell, M. G. del Tánago, M. Bussettini, and D. Hendriks, 'Classification of river morphology and hydrology to support management and restoration', *Aquatic Sciences*, vol. 78, no. 1, pp. 17–33, Jan. 2016, doi: 10.1007/s00027-015-0438-z.

[34]

M. Tadaki, G. Brierley, and C. Cullum, 'River classification: theory, practice, politics', *Wiley Interdisciplinary Reviews: Water*, p. n/a-n/a, Apr. 2014, doi: 10.1002/wat2.1026.

[35]

T. Beechie and H. Imaki, 'Predicting natural channel patterns based on landscape and geomorphic controls in the Columbia River basin, USA', *Water Resources Research*, vol. 50, no. 1, pp. 39–57, Jan. 2014, doi: 10.1002/2013WR013629.

[36]

G. J. Brierley, 'River Styles, a Geomorphic Approach to Catchment Characterization: Implications for River Rehabilitation in Bega Catchment, New South Wales, Australia', *Environmental Management*, vol. 25, no. 6, pp. 661–679, May 2000, doi: 10.1007/s002670010052.

[37]

'River Styles'. [Online]. Available: <http://www.riverstyles.com/>

[38]

R. Lave, M. Doyle, and M. Robertson, 'Privatizing stream restoration in the US', *Social Studies of Science*, vol. 40, no. 5, pp. 677–703, Oct. 2010, doi: 10.1177/0306312710379671.

[39]

D. R. Montgomery, 'Channel-reach morphology in mountain drainage basins', *GSA Bulletin*, vol. 109, no. 5, pp. 596–611, May 1997 [Online]. Available:

<https://ezproxy.lib.gla.ac.uk/login?url=https://pubs.geoscienceworld.org/gsa/gsabulletin/article/109/5/596/183255/channel-reach-morphology-in-mountain-drainage>

[40]

D. L. Rosgen, 'A classification of natural rivers', CATENA, vol. 22, no. 3, pp. 169–199, Jun. 1994, doi: 10.1016/0341-8162(94)90001-9.

[41]

'Modular River Survey'. [Online]. Available: <http://modularriversurvey.org/>

[42]

M. Rinaldi, A. M. Gurnell, M. G. del Tánago, M. Bussetti, and D. Hendriks, 'Classification of river morphology and hydrology to support management and restoration', Aquatic Sciences, vol. 78, no. 1, pp. 17–33, Jan. 2016, doi: 10.1007/s00027-015-0438-z.

[43]

S. M. Smith and K. L. Prestegard, 'Hydraulic performance of a morphology-based stream channel design', Water Resources Research, vol. 41, no. 11, p. n/a-n/a, Nov. 2005, doi: 10.1029/2004WR003926.

[44]

A. Kasprak et al., 'The Blurred Line between Form and Process: A Comparison of Stream Channel Classification Frameworks', PLOS ONE, vol. 11, no. 3, Mar. 2016, doi: 10.1371/journal.pone.0150293.

[45]

Scottish Environmental Protection Agency, 'Supporting guidance (WAT-SG-21): Environmental Standards for River Morphology'. [Online]. Available: https://www.sepa.org.uk/media/152194/wat_sg_21.pdf

[46]

G. Pender and H. Faulkner, Flood risk science and management. Chichester: Wiley-Blackwell, 2011.

[47]

Cabinet Office, 'National Flood Resilience Review'. 2016 [Online]. Available: <https://www.gov.uk/government/publications/national-flood-resilience-review>

[48]

S. Burt, M. McCarthy, M. Kendon, and J. Hannaford, 'Cumbrian floods, 5/6 December 2015', *Weather*, vol. 71, no. 2, pp. 36–37, Feb. 2016, doi: 10.1002/wea.2704.

[49]

E. Ferranti, L. Chapman, and D. Whyatt, 'A Perfect Storm? The collapse of Lancaster's critical infrastructure networks following intense rainfall on 4/5 December 2015', *Weather*, vol. 72, no. 1, pp. 3–7, Jan. 2017, doi: 10.1002/wea.2907.

[50]

T. Marsh et al, 'The winter floods of 2015/2016 in the UK' [Online]. Available: <https://nora.nerc.ac.uk/515303/>

[51]

Cabinet office, 'The Pitt Review: Lessons learned from the 2007 floods'. [Online]. Available: http://webarchive.nationalarchives.gov.uk/20100807034701/http://archive.cabinetoffice.gov.uk/pittreview/thepittreview/final_report.html

[52]

C. Thorne, 'Geographies of UK flooding in 2013/4', *The Geographical Journal*, vol. 180, no. 4, pp. 297–309, Dec. 2014, doi: 10.1111/geoj.12122.

[53]

'National River Flow Archive: Occasional Reports'. [Online]. Available: <http://nrfa.ceh.ac.uk/occasional-reports>

[54]

K. J. Gregory and A. Goudie, *The SAGE handbook of geomorphology*. London: SAGE, 2011.

[55]

L. J. Slater, M. B. Singer, and J. W. Kirchner, 'Hydrologic versus geomorphic drivers of trends in flood hazard', *Geophysical Research Letters*, vol. 42, no. 2, pp. 370–376, Jan. 2015, doi: 10.1002/2014GL062482.

[56]

L. J. Slater, 'To what extent have changes in channel capacity contributed to flood hazard trends in England and Wales?', *Earth Surface Processes and Landforms*, vol. 41, no. 8, pp. 1115–1128, Jun. 2016, doi: 10.1002/esp.3927.

[57]

J. R. Olsen, 'Climate Change and Floodplain Management in the United States', *Climatic Change*, vol. 76, no. 3–4, pp. 407–426, Jun. 2006, doi: 10.1007/s10584-005-9020-3.

[58]

S. P. Schottler et al., 'Twentieth century agricultural drainage creates more erosive rivers', *Hydrological Processes*, vol. 28, no. 4, pp. 1951–1961, Feb. 2014, doi: 10.1002/hyp.9738.

[59]

L. Alfieri et al., 'Global projections of river flood risk in a warmer world', *Earth's Future*, Jan. 2017, doi: 10.1002/2016EF000485.

[60]

B. Jongman, P. J. Ward, and J. C. J. H. Aerts, 'Global exposure to river and coastal flooding: Long term trends and changes', *Global Environmental Change*, vol. 22, no. 4, pp. 823–835, Oct. 2012, doi: 10.1016/j.gloenvcha.2012.07.004.

[61]

B. Jongman et al., 'Increasing stress on disaster-risk finance due to large floods', *Nature Climate Change*, vol. 4, no. 4, pp. 264–268, Mar. 2014, doi: 10.1038/nclimate2124.

[62]

Y. Hirabayashi et al., 'Global flood risk under climate change', *Nature Climate Change*, vol. 3, no. 9, pp. 816–821, Jun. 2013, doi: 10.1038/nclimate1911.

[63]

United Nations Office for Disaster Risk Reduction, 'Global assessment report on disaster risk reduction 2015'. [Online]. Available: <https://www.unisdr.org/we/inform/publications/42809>

[64]

United Nations Office for Disaster Risk Reduction and Centre for Research on Epidemiology of Disasters, 'The human cost of weather-related disasters 1995-2015'. [Online]. Available: <https://www.unisdr.org/we/inform/publications/46796>

[65]

Scotland & Northern Ireland Forum for Environmental Research, 'A handbook of climate trends across Scotland (SNIFFER project CC03)'. [Online]. Available: https://www.south-ayrshire.gov.uk/documents/sniffer%20partnership_climate%20change%20trend%20handbook%20june%2006.pdf

[66]

G. J. Jenkins, 'The climate of the United Kingdom and recent trends'. 2007 [Online]. Available: http://www.ukcip.org.uk/wp-content/PDFs/UKCP09_Trends.pdf

[67]

'Future flooding'. [Online]. Available:
<https://www.gov.uk/government/publications/future-flooding>

[68]

P. Pall et al., 'Anthropogenic greenhouse gas contribution to flood risk in England and Wales in autumn 2000', *Nature*, vol. 470, no. 7334, pp. 382–385, Feb. 2011, doi: 10.1038/nature09762.

[69]

N. Schaller et al., 'Human influence on climate in the 2014 southern England winter floods and their impacts', *Nature Climate Change*, vol. 6, no. 6, pp. 627–634, Feb. 2016, doi: 10.1038/nclimate2927.

[70]

K. J. Beven, *Rainfall-runoff modelling: the primer*, 2nd ed. Chichester, West Sussex: Wiley-Blackwell, 2012.

[71]

P. E. O'Connell, J. Ewen, G. O'Donnell, and P. Quinn, 'Is there a link between agricultural land-use management and flooding?', *Hydrology and Earth System Sciences*, vol. 11, no. 1, pp. 96–107, Jan. 2007, doi: 10.5194/hess-11-96-2007.

[72]

K. J. Beven, N. Chappell, R. Lamb, and E. M. Shaw, *Hydrology in practice*, 4th ed. London: Spon Press, 2011.

[73]

N. W. Arnell, S. J. Halliday, R. W. Battarbee, R. A. Skeffington, and A. J. Wade, 'The implications of climate change for the water environment in England', *Progress in Physical Geography*, vol. 39, no. 1, pp. 93–120, Feb. 2015, doi: 10.1177/0309133314560369.

[74]

S. J. Dixon, D. A. Sear, N. A. Odoni, T. Sykes, and S. N. Lane, 'The effects of river restoration on catchment scale flood risk and flood hydrology', *Earth Surface Processes and Landforms*, vol. 41, no. 7, pp. 997–1008, Jun. 2016, doi: 10.1002/esp.3919.

[75]

Environment Agency, 'How to model and map catchment processes when flood risk management planning'. 2016 [Online]. Available: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/523456/How_to_model_and_map_catchment_processes_-_report.pdf

[76]

Environment Agency, 'Working with natural processes to reduce flood risk: science report'. 2014 [Online]. Available: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/338437/SC130004_R2.pdf

[77]

J. Gao, J. Holden, and M. Kirkby, 'The impact of land-cover change on flood peaks in peatland basins', *Water Resources Research*, vol. 52, no. 5, pp. 3477–3492, May 2016, doi: 10.1002/2015WR017667.

[78]

JBA, 'Nature-based approaches for catchment flood management: an online catalogue'. 2015 [Online]. Available: http://www.jbatrust.org/wp-content/uploads/2016/02/W15-0603-Nature-Based-approaches-to-Catchment-Improvements-Sept-2015-FINAL_v0.1.pdf

[79]

SEPA, 'Natural flood management handbook'. 2015 [Online]. Available: <http://www.sepa.org.uk/media/163560/sepa-natural-flood-management-handbook1.pdf>

[80]

'Natural Water Retention Measures'. [Online]. Available: <http://nwrn.eu/>

[81]

'Working with natural processes to reduce flood risk : JBA Trust - Interactive map'.
[Online]. Available:
<http://www.jbatrust.org/news/working-with-natural-processes-to-reduce-flood-risk/>

[82]

G. Grill, B. Lehner, A. E. Lumsdon, G. K. MacDonald, C. Zarfl, and C. Reidy Liermann, 'An index-based framework for assessing patterns and trends in river fragmentation and flow regulation by global dams at multiple scales', *Environmental Research Letters*, vol. 10, no. 1, Jan. 2015, doi: 10.1088/1748-9326/10/1/015001.

[83]

B. Lehner et al., 'High-resolution mapping of the world's reservoirs and dams for sustainable river-flow management', *Frontiers in Ecology and the Environment*, vol. 9, no. 9, pp. 494–502, 2011 [Online]. Available:
<https://ezproxy.lib.gla.ac.uk/login?url=https://www.jstor.org/stable/23034466>

[84]

C. Zarfl, A. E. Lumsdon, J. Berlekamp, L. Tydecks, and K. Tockner, 'A global boom in hydropower dam construction', *Aquatic Sciences*, vol. 77, no. 1, pp. 161–170, Jan. 2015, doi: 10.1007/s00027-014-0377-0.

[85]

World Commission on Dams, 'Dams and development: a new framework for decision-making'. 2000 [Online]. Available:
https://www.internationalrivers.org/sites/default/files/attached-files/world_commission_on_dams_final_report.pdf

[86]

F. J. Magilligan and K. H. Nislow, 'Changes in hydrologic regime by dams', *Geomorphology*, vol. 71, no. 1–2, pp. 61–78, Oct. 2005, doi: 10.1016/j.geomorph.2004.08.017.

[87]

G. H. Sambrook Smith, *Braided rivers: process, deposits, ecology, and management*. Malden, MA: Blackwell Pub, 2006.

[88]

G. M. Kondolf, 'Hungry Water: Effects of Dams and Gravel Mining on River Channels', *Environmental Management*, vol. 21, no. 4, pp. 533–551, Jul. 1997, doi: 10.1007/s002679900048.

[89]

G. M. Kondolf, Z. K. Rubin, and J. T. Minear, 'Dams on the Mekong: Cumulative sediment starvation', *Water Resources Research*, vol. 50, no. 6, pp. 5158–5169, Jun. 2014, doi: 10.1002/2013WR014651.

[90]

X. X. Luo, S. L. Yang, R. S. Wang, C. Y. Zhang, and P. Li, 'New evidence of Yangtze delta recession after closing of the Three Gorges Dam', *Scientific Reports*, vol. 7, Feb. 2017, doi: 10.1038/srep41735.

[91]

F. J. Magilligan and K. H. Nislow, 'Changes in hydrologic regime by dams', *Geomorphology*, vol. 71, no. 1–2, pp. 61–78, Oct. 2005, doi: 10.1016/j.geomorph.2004.08.017.

[92]

S. L. Yang, J. D. Milliman, P. Li, and K. Xu, '50,000 dams later: Erosion of the Yangtze River and its delta', *Global and Planetary Change*, vol. 75, no. 1–2, pp. 14–20, Jan. 2011, doi: 10.1016/j.gloplacha.2010.09.006.

[93]

J. Lessard et al., 'Dam Design can Impede Adaptive Management of Environmental Flows: A Case Study from the Opuha Dam, New Zealand', *Environmental Management*, vol. 51, no. 2, pp. 459–473, Feb. 2013, doi: 10.1007/s00267-012-9971-x.

[94]

A. E. East et al., 'Large-scale dam removal on the Elwha River, Washington, USA: River channel and floodplain geomorphic change', *Geomorphology*, vol. 228, pp. 765–786, Jan. 2015, doi: 10.1016/j.geomorph.2014.08.028.

[95]

J. D. Gartner, F. J. Magilligan, and C. E. Renshaw, 'Predicting the type, location and magnitude of geomorphic responses to dam removal: Role of hydrologic and geomorphic constraints', *Geomorphology*, vol. 251, pp. 20–30, Dec. 2015, doi: 10.1016/j.geomorph.2015.02.023.

[96]

M. A. Church, P. Biron, A. G. Roy, and P. Ashmore, *Gravel-bed rivers: processes, tools, environments*. Chichester, West Sussex: Wiley-Blackwell, 2012.

[97]

F. J. Magilligan, K. H. Nislow, B. E. Kynard, and A. M. Hackman, 'Immediate changes in stream channel geomorphology, aquatic habitat, and fish assemblages following dam removal in a small upland catchment', *Geomorphology*, vol. 252, pp. 158–170, Jan. 2016, doi: 10.1016/j.geomorph.2015.07.027.

[98]

J. J. Major et al., 'Geomorphic Response of the Sandy River, Oregon, to Removal of Marmot Dam : U.S. Geological Survey Professional Paper 1792'. 2012 [Online]. Available: <https://pubs.usgs.gov/pp/1792/>

[99]

J. E. O'Connor, J. J. Duda, and G. E. Grant, '1000 dams down and counting', *Science*, vol. 348, no. 6234, pp. 496–497, May 2015, doi: 10.1126/science.aaa9204.

[100]

J. Pizzuto, 'Effects of dam removal on river form and process', *BioScience*, vol. 52, no. 8, pp. 683–691 [Online]. Available:
<https://ezproxy.lib.gla.ac.uk/login?url=https://go.galegroup.com/ps/i.do?p=AONE&u=glasuni&id=GALE|A90317048&v=2.1&it=r&sid=summon&authCount=1>

[101]

Engineering geology for society and territory: Volume 3: River basins, reservoir sedimentation and water resources. Cham, Switzerland: Springer International Publishing, 2015 [Online]. Available:
<https://ezproxy.lib.gla.ac.uk/login?url=https://link.springer.com/10.1007/978-3-319-09054-2>

[102]

J. Ryan Bellmore et al., 'Status and trends of dam removal research in the United States', *Wiley Interdisciplinary Reviews: Water*, vol. 4, no. 2, Mar. 2017, doi: 10.1002/wat2.1164.

[103]

S. M. Young and H. Ishiga, 'Environmental change of the fluvial-estuary system in relation to Arase Dam removal of the Yatsushiro tidal flat, SW Kyushu, Japan', *Environmental Earth Sciences*, vol. 72, no. 7, pp. 2301–2314, Oct. 2014, doi: 10.1007/s12665-014-3139-3.

[104]

'Marmot Dam Removal'. 30AD [Online]. Available:
<https://www.youtube.com/watch?v=i1NI2ia3nDw>

[105]

'Elwha River following dam removal'. 2AD [Online]. Available:
<https://www.youtube.com/watch?v=VipVo8zPH0U>

[106]

'Elwha River Restoration Project - videos'. [Online]. Available:
<https://walrus.wr.usgs.gov/elwha/products.html#videos>

[107]

'Snake River'. 7AD [Online]. Available: <https://www.youtube.com/watch?v=DK5nUXkrz8o>

[108]

CIRIA, 'River weirs - Design, maintenance, modification and removal'. 2016 [Online]. Available: [http://www.cpwf.co.uk/C763%20River%20weirs.%20Design,%20maintenance,%20modification%20and%20removal%20\(web\)%20\(1\).pdf](http://www.cpwf.co.uk/C763%20River%20weirs.%20Design,%20maintenance,%20modification%20and%20removal%20(web)%20(1).pdf)

[109]

S. Hawley, Recovering a lost river: removing dams, rewilding salmon, revitalizing communities. Boston, Mass: Beacon Press, 2012.

[110]

J. Lichatowich, Salmon without rivers: a history of the Pacific salmon crisis. Washington, D.C.: Island Press, 1999.

[111]

L. Mapes and S. Ringman, Elwha: a river reborn, First edition. Seattle, WA: The Mountaineers Books, 2013.

[112]

CIWEM, 'Integrated Water Management'. 2011 [Online]. Available: <http://www.ciwem.org/wp-content/uploads/2016/02/Integrated-Water-Managment-Report.pdf>

[113]

defra, 'Making space for water: Taking forward a new Government strategy for flood and coastal erosion risk management in England'. 2005 [Online]. Available: <http://webarchive.nationalarchives.gov.uk/20130402151656/http://archive.defra.gov.uk/en>

vironment/flooding/documents/policy/strategy/strategy-response1.pdf

[114]

Institute for European Environmental Policy, 'The potential policy and environmental consequences for the UK of a departure from the European Union', 2016. [Online].

Available:

<http://www.ieep.eu/news/2016/08/the-uk-referendum-what-it-means-for-the-environment-and-for-ieep>

[115]

G. Kallis, 'The EU water framework directive: measures and implications', *Water Policy*, vol. 3, no. 2, pp. 125-142, Jun. 2001, doi: 10.1016/S1366-7017(01)00007-1.

[116]

Royal Geographical Society, 'Water policy in the UK: the challenges'. 2012 [Online].

Available:

https://www.rgs.org/NR/rdonlyres/4D9A57E4-A053-47DC-9A76-BDBEF0EA0F5C/0/RGSIBGPolicyDocumentWater_732pp.pdf

[117]

RSPB, 'Flooding in focus'. 2014 [Online]. Available:

https://www.rspb.org.uk/Images/flooding-in-focus_tcm9-386202.pdf

[118]

SEPA, 'Supporting Guidance (WAT-SG-21) : Environmental Standards for River Morphology'. 2012 [Online]. Available: https://www.sepa.org.uk/media/152194/wat_sg_21.pdf

[119]

SEPA, 'Scotland River Basin District : Characterisation and impacts analyses required by article 5 of the Water Framework Directive'. 2005 [Online]. Available:

https://www.sepa.org.uk/media/37505/rbmp_scotland_characterisation-impacts-analysis_article5.pdf

[120]

SEPA, 'Significant water management issues in the Scotland river basin district'. 2007 [Online]. Available: https://www.sepa.org.uk/media/37765/significant-water-management-issues_scotland.pdf

[121]

SEPA, 'Flood Risk Management Strategies and Local Flood Risk Management Plans'. 2011 [Online]. Available: http://www.sepa.org.uk/media/42632/frm_strategies_and_lfrm_plans.pdf

[122]

K. J. Beven, N. Chappell, R. Lamb, and E. M. Shaw, *Hydrology in practice*, 4th ed. London: Spon Press, 2011.

[123]

I. Maddock, A. Harby, P. Kemp, and P. J. Wood, Eds., *Ecohydraulics: an integrated approach*. Chichester, West Sussex: Wiley Blackwell, 2013.

[124]

T. H. Coaker, *Advances in applied biology: Vol. 6: edited by T.H. Coaker*. London: Academic Press, 1981.

[125]

H. J. Moir and G. B. Pasternack, 'Relationships between mesoscale morphological units, stream hydraulics and Chinook salmon (*Oncorhynchus tshawytscha*) spawning habitat on the Lower Yuba River, California', *Geomorphology*, vol. 100, no. 3–4, pp. 527–548, Aug. 2008, doi: 10.1016/j.geomorph.2008.02.001.

[126]

H. J. Moir, C. N. Gibbins, C. Soulsby, and A. F. Youngson, 'PHABSIM modelling of Atlantic salmon spawning habitat in an upland stream: testing the influence of habitat suitability indices on model output', *River Research and Applications*, vol. 21, no. 9, pp. 1021–1034,

Nov. 2005, doi: 10.1002/rra.869.

[127]

H. J. Moir, C. N. Gibbins, C. Soulsby, and J. Webb, 'Linking channel geomorphic characteristics to spatial patterns of spawning activity and discharge use by Atlantic salmon (*Salmo salar* L.)', *Geomorphology*, vol. 60, no. 1-2, pp. 21-35, May 2004, doi: 10.1016/j.geomorph.2003.07.014.

[128]

T. J. Beechie et al., 'Process-based Principles for Restoring River Ecosystems', *BioScience*, vol. 60, no. 3, pp. 209-222, Mar. 2010, doi: 10.1525/bio.2010.60.3.7.

[129]

G. Brierley and J. Hooke, 'Emerging geomorphic approaches to guide river management practices', *Geomorphology*, vol. 251, pp. 1-5, Dec. 2015, doi: 10.1016/j.geomorph.2015.08.019.

[130]

L. A. James, 'Designing forward with an eye to the past: Morphogenesis of the lower Yuba River', *Geomorphology*, vol. 251, pp. 31-49, Dec. 2015, doi: 10.1016/j.geomorph.2015.07.009.

[131]

Malcolm. D. Newson and A. R. G. Large, '"Natural" rivers, "hydromorphological quality" and river restoration: a challenging new agenda for applied fluvial geomorphology', *Earth Surface Processes and Landforms*, vol. 31, no. 13, pp. 1606-1624, Nov. 2006, doi: 10.1002/esp.1430.

[132]

E. K. Raven, S. N. Lane, and L. J. Bracken, 'Understanding sediment transfer and morphological change for managing upland gravel-bed rivers', *Progress in Physical Geography*, vol. 34, no. 1, pp. 23-45, Feb. 2010, doi: 10.1177/0309133309355631.

[133]

E. Wohl and D. J. Merritts, 'What Is a Natural River?', *Geography Compass*, vol. 1, no. 4, pp. 871–900, Jul. 2007, doi: 10.1111/j.1749-8198.2007.00049.x.

[134]

E. S. Bernhardt, 'Ecology: Synthesizing U.S. River Restoration Efforts', *Science*, vol. 308, no. 5722, pp. 636–637, Apr. 2005, doi: 10.1126/science.1109769.

[135]

T. J. Beechie et al., 'Process-based Principles for Restoring River Ecosystems', *BioScience*, vol. 60, no. 3, pp. 209–222, Mar. 2010, doi: 10.1525/bio.2010.60.3.7.

[136]

P. Downs and G. M. Kondolf, 'Post-Project Appraisals in Adaptive Management of River Channel Restoration', *Environmental Management*, vol. 29, no. 4, pp. 477–496, Apr. 2002, doi: 10.1007/s00267-001-0035-X.

[137]

D. J. Gilvear, R. Casas-Mulet, and C. J. Spray, 'Trends and issues in delivery of integrated catchment scale river restoration: Lessons learned from a national river restoration survey within Scotland', *River Research and Applications*, vol. 28, no. 2, pp. 234–246, Feb. 2012, doi: 10.1002/rra.1437.

[138]

J. W. Koebel and S. G. Bousquin, 'The Kissimmee River Restoration Project and Evaluation Program, Florida, U.S.A.', *Restoration Ecology*, vol. 22, no. 3, pp. 345–352, May 2014, doi: 10.1111/rec.12063.

[139]

B. Morandi, H. Piégay, N. Lamouroux, and L. Vaudor, 'How is success or failure in river restoration projects evaluated? Feedback from French restoration projects', *Journal of Environmental Management*, vol. 137, pp. 178–188, May 2014, doi: 10.1016/j.jenvman.2014.02.010.

[140]

M. A. Palmer, H. L. Menninger, and E. Bernhardt, 'River restoration, habitat heterogeneity and biodiversity: a failure of theory or practice?', *Freshwater Biology*, vol. 55, pp. 205–222, Jan. 2010, doi: 10.1111/j.1365-2427.2009.02372.x.

[141]

C. J. P. Podolak, 'A visual framework for displaying, communicating and coordinating a river restoration monitoring project', *River Research and Applications*, vol. 30, no. 4, pp. 527–535, May 2014, doi: 10.1002/rra.2651.

[142]

A. Simon, S. J. Bennett, J. M. Castro, and American Geophysical Union, *Stream restoration in dynamic fluvial systems: scientific approaches, analyses, and tools*, vol. Geophysical monograph. Washington, DC: American Geophysical Union, 2011.

[143]

B. Smith, N. J. Clifford, and J. Mant, 'Analysis of UK river restoration using broad-scale data sets', *Water and Environment Journal*, vol. 28, no. 4, pp. 490–501, Dec. 2014, doi: 10.1111/wej.12063.

[144]

E. Wohl, S. N. Lane, and A. C. Wilcox, 'The science and practice of river restoration', *Water Resources Research*, vol. 51, no. 8, pp. 5974–5997, Aug. 2015, doi: 10.1002/2014WR016874.

[145]

'The River Restoration Centre'. [Online]. Available: <http://www.therrc.co.uk/>

[146]

'ECRR website'. [Online]. Available: <http://www.ecrr.org/>

[147]

P. Ashmore, 'Towards a sociogeomorphology of rivers', *Geomorphology*, vol. 251, pp. 149–156, Dec. 2015, doi: 10.1016/j.geomorph.2015.02.020.

[148]

S. Dufour and H. Piégay, 'From the myth of a lost paradise to targeted river restoration: forget natural references and focus on human benefits', *River Research and Applications*, vol. 25, no. 5, pp. 568–581, Jun. 2009, doi: 10.1002/rra.1239.