

Pathogens and Disease

BIOL5274

[View Online](#)



[1]

M. Bermejo, J. D. Rodriguez-Treijeiro, G. Illera, A. Barroso, C. Vila, and P. D. Walsh, 'Ebola Outbreak Killed 5000 Gorillas', *Science*, vol. 314, no. 5805, pp. 1564–1564, Dec. 2006, doi: 10.1126/science.1133105.

[2]

A. Gómez and E. Nichols, 'Neglected wild life: Parasitic biodiversity as a conservation target', *International Journal for Parasitology: Parasites and Wildlife*, vol. 2, pp. 222–227, Dec. 2013, doi: 10.1016/j.ijppaw.2013.07.002.

[3]

J. Kaner and S. Schaack, 'Understanding Ebola: the 2014 epidemic', *Globalization and Health*, vol. 12, no. 1, Dec. 2016, doi: 10.1186/s12992-016-0194-4.

[4]

M. Pruvot, S. Kutz, F. van der Meer, M. Musiani, H. W. Barkema, and K. Orsel, 'Pathogens at the livestock-wildlife interface in Western Alberta: does transmission route matter?', *Veterinary Research*, vol. 45, no. 1, 2014, doi: 10.1186/1297-9716-45-18.

[5]

M. J. Yabsley and B. C. Shock, 'Natural history of Zoonotic Babesia: Role of wildlife reservoirs', *International Journal for Parasitology: Parasites and Wildlife*, vol. 2, pp. 18–31, Dec. 2013, doi: 10.1016/j.ijppaw.2012.11.003.

[6]

M. C. Fisher et al., 'Emerging fungal threats to animal, plant and ecosystem health', *Nature*, vol. 484, no. 7393, pp. 186–194, Apr. 2012, doi: 10.1038/nature10947.

[7]

M. Pruvot et al., 'Better Alone or in III Company? The Effect of Migration and Inter-Species Comingling on *Fascioloides magna* Infection in Elk', *PLOS ONE*, vol. 11, no. 7, Jul. 2016, doi: 10.1371/journal.pone.0159319.

[8]

K. F. Smith, K. Acevedo-Whitehouse, and A. B. Pedersen, 'The role of infectious diseases in biological conservation', *Animal Conservation*, vol. 12, no. 1, pp. 1–12, Feb. 2009, doi: 10.1111/j.1469-1795.2008.00228.x.

[9]

C. Stephen, 'TOWARD A MODERNIZED DEFINITION OF WILDLIFE HEALTH', *Journal of Wildlife Diseases*, vol. 50, no. 3, pp. 427–430, Jul. 2014, doi: 10.7589/2013-11-305.

[10]

J. D. Radolf, M. J. Caimano, B. Stevenson, and L. T. Hu, 'Of ticks, mice and men: understanding the dual-host lifestyle of Lyme disease spirochaetes', *Nature Reviews Microbiology*, vol. 10, no. 2, pp. 87–99, Feb. 2012, doi: 10.1038/nrmicro2714.

[11]

Molecular biology of the cell. New York: Garland Science, 2002 [Online]. Available: <https://www.ncbi.nlm.nih.gov/books/NBK26917/>

[12]

L. H. Taylor, S. M. Latham, and M. E. J. woolhouse, 'Risk factors for human disease emergence', *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, vol. 356, no. 1411, pp. 983–989, Jul. 2001, doi: 10.1098/rstb.2001.0888.

[13]

S. Cleaveland, M. K. Laurenson, and L. H. Taylor, 'Diseases of humans and their domestic mammals: pathogen characteristics, host range and the risk of emergence', *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, vol. 356, no. 1411, pp. 991–999, Jul. 2001, doi: 10.1098/rstb.2001.0889.

[14]

M. E. J. Woolhouse and S. Gowtage-Sequeria, 'Host Range and Emerging and Reemerging Pathogens', *Emerging Infectious Diseases*, vol. 11, no. 12, pp. 1842–1847, Dec. 2005, doi: 10.3201/eid1112.050997.

[15]

J. P. Webster, A. Borlase, and J. W. Rudge, 'Who acquires infection from whom and how? Disentangling multi-host and multi-mode transmission dynamics in the "elimination" era', *Philosophical Transactions of the Royal Society B: Biological Sciences*, vol. 372, no. 1719, May 2017, doi: 10.1098/rstb.2016.0091.

[16]

J. P. Webster, A. Borlase, and J. W. Rudge, 'Who acquires infection from whom and how? Disentangling multi-host and multi-mode transmission dynamics in the "elimination" era', *Philosophical Transactions of the Royal Society B: Biological Sciences*, vol. 372, no. 1719, May 2017, doi: 10.1098/rstb.2016.0091.

[17]

B. Perry, L. Gleeson, S. Khounsey, P. Bounma, and S. Blacksell, 'The dynamics and impact of foot and mouth disease in smallholder farming systems in South-East Asia: a case study in Laos.', no. 21, pp. 663–673 [Online]. Available: <https://www.semanticscholar.org/paper/The-dynamics-and-impact-of-foot-and-mouth-disease-a-Perry-Gleeson/534bf0ca3614529fa02bc24fd0bc9d19242bc2dc>

[18]

S. O. Ohaga, E. D. Kokwaro, I. O. Ndiege, A. Hassanali, and R. K. Saini, 'Livestock farmers' perception and epidemiology of bovine trypanosomosis in Kwale District, Kenya', *Preventive Veterinary Medicine*, vol. 80, no. 1, pp. 24–33, Jun. 2007, doi: 10.1016/j.prevetmed.2007.01.007.

[19]

C. Bedelian, D. Nkedianye, and M. Herrero, 'Maasai perception of the impact and incidence of malignant catarrhal fever (MCF) in southern Kenya', *Preventive Veterinary Medicine*, vol. 78, no. 3-4, pp. 296-316, Mar. 2007, doi: 10.1016/j.prevetmed.2006.10.012.

[20]

J. O. Onono, B. Wieland, and J. Rushton, 'Constraints to cattle production in a semiarid pastoral system in Kenya', *Tropical Animal Health and Production*, vol. 45, no. 6, pp. 1415-1422, Aug. 2013, doi: 10.1007/s11250-013-0379-2.

[21]

A. Catley et al., 'Participatory diagnosis of a heat-intolerance syndrome in cattle in Tanzania and association with foot-and-mouth disease', *Preventive Veterinary Medicine*, vol. 65, no. 1-2, pp. 17-30, Aug. 2004, doi: 10.1016/j.prevetmed.2004.06.007.

[22]

M. Barasa et al., 'Foot-and-Mouth Disease Vaccination in South Sudan: Benefit-Cost Analysis and Livelihoods Impact', *Transboundary and Emerging Diseases*, vol. 55, no. 8, pp. 339-351, Oct. 2008, doi: 10.1111/j.1865-1682.2008.01042.x.

[23]

T. Rufael, A. Catley, A. Bogale, M. Sahle, and Y. Shiferaw, 'Foot and mouth disease in the Borana pastoral system, southern Ethiopia and implications for livelihoods and international trade', *Tropical Animal Health and Production*, vol. 40, no. 1, pp. 29-38, Jan. 2008, doi: 10.1007/s11250-007-9049-6.

[24]

W. Vosloo, A. Bastos, O. Sangare, and S. Hargreaves, 'Review of the status of foot and mouth disease in sub-Saharan Africa', vol. 21, no. 3, pp. 437-449, 2002 [Online]. Available: https://www.researchgate.net/publication/10953905_Review_of_the_status_of_foot_and_mouth_disease_in_sub-Saharan_Africa

[25]

G. R. Thomson, W. Vosloo, and A. D. S. Bastos, 'Foot and mouth disease in wildlife', *Virus Research*, vol. 91, no. 1, pp. 145–161, Jan. 2003, doi: 10.1016/S0168-1702(02)00263-0.

[26]

F. JORI, W. VOSLOO, B. J. A. DU PLESSIS, D. BRAHMBHATT, B. GUMMOW, and G. R. THOMSON, 'A qualitative risk assessment of factors contributing to foot and mouth disease outbreaks in cattle along the western boundary of the Kruger National Park', *Revue Scientifique et Technique de l'OIE*, vol. 28, no. 3, pp. 917–931, Dec. 2009, doi: 10.20506/rst.28.3.1932.

[27]

E. Miguel et al., 'Drivers of foot-and-mouth disease in cattle at wild/domestic interface: Insights from farmers, buffalo and lions', *Diversity and Distributions*, vol. 23, no. 9, pp. 1018–1030, Sep. 2017, doi: 10.1111/ddi.12585.

[28]

R. G. Dietzgen and I. V. Kuzmin, Eds., *Rhabdoviruses: molecular taxonomy, evolution, genomics, ecology, host-vector interactions, cytopathology and control*. Norfolk, UK: Caister Academic Press, 2012 [Online]. Available: <https://ebookcentral.proquest.com/lib/gla/detail.action?docID=6109619>

[29]

'Foresight. The Future of Food and Farming (2011) Final Project Report.' The Government Office for Science, London., 2011 [Online]. Available: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/288329/11-546-future-of-food-and-farming-report.pdf

[30]

T. Forde, M. Pruvot, J. De Buck, and K. Orsel, 'A high-morbidity outbreak of Johne's disease in game-ranched elk', vol. 56, no. 5, pp. 479–483 [Online]. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4399733/>

[31]

T. Hoenen et al., 'Nanopore Sequencing as a Rapidly Deployable Ebola Outbreak Tool', Emerging Infectious Diseases, vol. 22, no. 2, Feb. 2016, doi: 10.3201/eid2202.151796.

[32]

A. R. E. Sinclair, K. L. Metzge, S. A. R. Mduma, and J. M. Fryxell, Eds., Serengeti IV: sustaining biodiversity in a coupled human-natural system. Chicago: The University of Chicago Press, 2015 [Online]. Available: <https://ezproxy.lib.gla.ac.uk/login?url=https://chicago.universitypressscholarship.com/view/10.7208/chicago/9780226196336.001.0001/upso-9780226195834>

[33]

E. H. Chan et al., 'Global capacity for emerging infectious disease detection', Proceedings of the National Academy of Sciences, vol. 107, no. 50, pp. 21701–21706, Dec. 2010, doi: 10.1073/pnas.1006219107.

[34]

J. Halliday et al., 'Bringing together emerging and endemic zoonoses surveillance: shared challenges and a common solution', Philosophical Transactions of the Royal Society B: Biological Sciences, vol. 367, no. 1604, pp. 2872–2880, Oct. 2012, doi: 10.1098/rstb.2011.0362.

[35]

T. Y. James et al., 'Disentangling host, pathogen, and environmental determinants of a recently emerged wildlife disease: lessons from the first 15 years of amphibian chytridiomycosis research', Ecology and Evolution, vol. 5, no. 18, pp. 4079–4097, Sep. 2015, doi: 10.1002/ece3.1672.

[36]

P. Nouvellet et al., 'The role of rapid diagnostics in managing Ebola epidemics', Nature, vol. 528, no. 7580, pp. S109–S116, Dec. 2015, doi: 10.1038/nature16041.

[37]

M. Viana et al., 'Dynamics of a morbillivirus at the domestic-wildlife interface: Canine

distemper virus in domestic dogs and lions', Proceedings of the National Academy of Sciences, vol. 112, no. 5, pp. 1464–1469, Feb. 2015, doi: 10.1073/pnas.1411623112.

[38]

M. Pruvot et al., 'The modification and evaluation of an ELISA test for the surveillance of *Mycobacterium avium* subsp. *paratuberculosis* infection in wild ruminants', BMC Veterinary Research, vol. 9, no. 1, 2013, doi: 10.1186/1746-6148-9-5.

[39]

J. E. B. Halliday, A. L. Meredith, D. L. Knobel, D. J. Shaw, B. M. de C. Bronsvoort, and S. Cleaveland, 'A framework for evaluating animals as sentinels for infectious disease surveillance', Journal of The Royal Society Interface, vol. 4, no. 16, pp. 973–984, Oct. 2007, doi: 10.1098/rsif.2007.0237.

[40]

S. Cleaveland, F. X. Meslin, and R. Breiman, 'Dogs can play useful role as sentinel hosts for disease', Nature, vol. 440, no. 7084, pp. 605–605, Mar. 2006, doi: 10.1038/440605b.

[41]

T. Lembo et al., 'Serologic Surveillance of Anthrax in the Serengeti Ecosystem, Tanzania, 1996–2009', Emerging Infectious Diseases, vol. 17, no. 3, pp. 387–394, Mar. 2011, doi: 10.3201/eid1703.101290.

[42]

Z. Mtema et al., 'Mobile Phones As Surveillance Tools: Implementing and Evaluating a Large-Scale Intersectoral Surveillance System for Rabies in Tanzania', PLOS Medicine, vol. 13, no. 4, Apr. 2016, doi: 10.1371/journal.pmed.1002002.

[43]

A. Rizzoli et al., 'Ixodes ricinus and Its Transmitted Pathogens in Urban and Peri-Urban Areas in Europe: New Hazards and Relevance for Public Health', Frontiers in Public Health, vol. 2, Dec. 2014, doi: 10.3389/fpubh.2014.00251.

[44]

N. Pettorelli, A. L. Lobora, M. J. Msuha, C. Foley, and S. M. Durant, 'Carnivore biodiversity in Tanzania: revealing the distribution patterns of secretive mammals using camera traps', *Animal Conservation*, vol. 13, no. 2, pp. 131–139, Apr. 2010, doi: 10.1111/j.1469-1795.2009.00309.x.

[45]

K. Whitman, A. M. Starfield, H. S. Quadling, and C. Packer, 'Sustainable trophy hunting of African lions', *Nature*, vol. 428, no. 6979, pp. 175–178, Mar. 2004, doi: 10.1038/nature02395.

[46]

M. E. Craft, E. Volz, C. Packer, and L. A. Meyers, 'Distinguishing epidemic waves from disease spillover in a wildlife population', *Proceedings of the Royal Society B: Biological Sciences*, vol. 276, no. 1663, pp. 1777–1785, May 2009, doi: 10.1098/rspb.2008.1636.

[47]

K. Hampson et al., 'Predictability of anthrax infection in the Serengeti, Tanzania', *Journal of Applied Ecology*, vol. 48, no. 6, pp. 1333–1344, Dec. 2011, doi: 10.1111/j.1365-2664.2011.02030.x.

[48]

J. M. Lindh et al., 'Optimizing the Colour and Fabric of Targets for the Control of the Tsetse Fly *Glossina fuscipes fuscipes*', *PLoS Neglected Tropical Diseases*, vol. 6, no. 5, May 2012, doi: 10.1371/journal.pntd.0001661.

[49]

B. V. Schmid et al., 'Climate-driven introduction of the Black Death and successive plague reintroductions into Europe', *Proceedings of the National Academy of Sciences*, vol. 112, no. 10, pp. 3020–3025, Mar. 2015, doi: 10.1073/pnas.1412887112.

[50]

N. C. Stenseth et al., 'Plague: Past, Present, and Future', *PLoS Medicine*, vol. 5, no. 1, Jan. 2008, doi: 10.1371/journal.pmed.0050003.

[51]

J. Wimsatt and D. E. Biggins, 'A review of plague persistence with special emphasis on fleas', vol. 46, pp. 85–99 [Online]. Available: <https://doaj.org/article/6305ce51d3684adf9d1054d1ce8a105b>

[52]

C. G. Zeppelini, A. M. P. de Almeida, and P. Cordeiro-Estrela, 'Zoonoses As Ecological Entities: A Case Review of Plague', PLOS Neglected Tropical Diseases, vol. 10, no. 10, Oct. 2016, doi: 10.1371/journal.pntd.0004949.

[53]

M. L. Cohen, 'Changing patterns of infectious disease', Nature, vol. 406, no. 6797, pp. 762–767, Aug. 2000, doi: 10.1038/35021206.

[54]

A. Engering, L. Hogerwerf, and J. Slingenbergh, 'Pathogen–host–environment interplay and disease emergence', Emerging Microbes & Infections, vol. 2, no. 1, pp. 1–7, Jan. 2013, doi: 10.1038/emi.2013.5.

[55]

P. M. Sharp and B. H. Hahn, 'Origins of HIV and the AIDS Pandemic', Cold Spring Harbor Perspectives in Medicine, vol. 1, no. 1, pp. a006841–a006841, Sep. 2011, doi: 10.1101/cshperspect.a006841.

[56]

M. Viana et al., 'Assembling evidence for identifying reservoirs of infection', Trends in Ecology & Evolution, vol. 29, no. 5, pp. 270–279, May 2014, doi: 10.1016/j.tree.2014.03.002.

[57]

'Identifying Reservoirs of Infection: A Conceptual and Practical Challenge', Emerging

Infectious Diseases, vol. 8, no. 12, pp. 1468–1473, Dec. 2002, doi: 10.3201/eid0812.010317.

[58]

M. J. Ferrari et al., 'The dynamics of measles in sub-Saharan Africa', *Nature*, vol. 451, no. 7179, pp. 679–684, Feb. 2008, doi: 10.1038/nature06509.

[59]

M. J. Keeling and C. A. Gilligan, 'Metapopulation dynamics of bubonic plague', *Nature*, vol. 407, no. 6806, pp. 903–906, Oct. 2000, doi: 10.1038/35038073.

[60]

M. J. Keeling and C. A. Gilligan, 'Bubonic plague: a metapopulation model of a zoonosis', *Proceedings of the Royal Society of London. Series B: Biological Sciences*, vol. 267, no. 1458, pp. 2219–2230, Nov. 2000, doi: 10.1098/rspb.2000.1272.

[61]

T. Lembo et al., 'Exploring reservoir dynamics: a case study of rabies in the Serengeti ecosystem', *Journal of Applied Ecology*, vol. 45, no. 4, pp. 1246–1257, Aug. 2008, doi: 10.1111/j.1365-2664.2008.01468.x.

[62]

M. Rweyemamu et al., 'Challenges and prospects for the control of foot-and-mouth disease: an African perspective', *Veterinary Medicine: Research and Reports*, Oct. 2014, doi: 10.2147/VMRR.S62607.

[63]

M. Casey-Bryars et al., 'Waves of endemic foot-and-mouth disease in eastern Africa suggest feasibility of proactive vaccination approaches', *Nature Ecology & Evolution*, vol. 2, no. 9, pp. 1449–1457, Sep. 2018, doi: 10.1038/s41559-018-0636-x.

[64]

M. T. Dhikusooka et al., 'Foot-and-Mouth Disease Virus Serotype SAT 3 in Long-Horned Ankole Calf, Uganda', Emerging Infectious Diseases, vol. 21, no. 1, pp. 111–114, Jan. 2015, doi: 10.3201/eid2101.140995.

[65]

K. E. Jones et al., 'Global trends in emerging infectious diseases', Nature, vol. 451, no. 7181, pp. 990–993, Feb. 2008, doi: 10.1038/nature06536.

[66]

A. G. D. Bean et al., 'Studying immunity to zoonotic diseases in the natural host — keeping it real', Nature Reviews Immunology, vol. 13, no. 12, pp. 851–861, Dec. 2013, doi: 10.1038/nri3551.

[67]

T. Kuiken, E. C. Holmes, J. McCauley, G. F. Rimmelzwaan, C. S. Williams, and B. T. Grenfell, 'Host Species Barriers to Influenza Virus Infections', Science, vol. 312, no. 5772, pp. 394–397, Apr. 2006, doi: 10.1126/science.1122818.

[68]

S. S. Morse et al., 'Prediction and prevention of the next pandemic zoonosis', The Lancet, vol. 380, no. 9857, pp. 1956–1965, Dec. 2012, doi: 10.1016/S0140-6736(12)61684-5.

[69]

M. E. J. Woolhouse, D. T. Haydon, and R. Antia, 'Emerging pathogens: the epidemiology and evolution of species jumps', Trends in Ecology & Evolution, vol. 20, no. 5, pp. 238–244, May 2005, doi: 10.1016/j.tree.2005.02.009.

[70]

A. Fenton and A. B. Pedersen, 'Community Epidemiology Framework for Classifying Disease Threats', Emerging Infectious Diseases, vol. 11, no. 12, pp. 1815–1821, Dec. 2005, doi: 10.3201/eid1112.050306.

[71]

M. E. J. Woolhouse and C. Dye, 'Preface', *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, vol. 356, no. 1411, pp. 981–982, Jul. 2001, doi: 10.1098/rstb.2001.0899.

[72]

S. Cleaveland and C. Dye, 'Maintenance of a microparasite infecting several host species: rabies in the Serengeti', *Parasitology*, vol. 111, no. S1, Jan. 1995, doi: 10.1017/S0031182000075806.

[73]

M. B. Casey et al., 'Patterns of Foot-and-Mouth Disease Virus Distribution in Africa', in *The Role of Animals in Emerging Viral Diseases*, Elsevier, 2014, pp. 21–38.

[74]

M. S. Bartlett, *Stochastic Population Models in Ecology and Epidemiology*. Methuen, 1960.

[75]

M. S. Bartlett, 'Measles Periodicity and Community Size', *Journal of the Royal Statistical Society. Series A (General)*, vol. 120, no. 1, 1957, doi: 10.2307/2342553.

[76]

M. E. Gompper, Ed., *Free-ranging dogs and wildlife conservation*, First edition. Oxford: Oxford University Press, 2014 [Online]. Available: <https://ezproxy.lib.gla.ac.uk/login?url=https://dx.doi.org/10.1093/acprof:osobl/9780199663217.001.0001>

[77]

K. J. Ferguson et al., 'Evaluating the Potential for the Environmentally Sustainable Control of Foot and Mouth Disease in Sub-Saharan Africa', *EcoHealth*, vol. 10, no. 3, pp. 314–322, Sep. 2013, doi: 10.1007/s10393-013-0850-6.

[78]

P. Klepac, S. Funk, T. D. Hollingsworth, C. J. E. Metcalf, and K. Hampson, 'Six challenges in the eradication of infectious diseases', *Epidemics*, vol. 10, pp. 97–101, Mar. 2015, doi: 10.1016/j.epidem.2014.12.001.

[79]

R. J. Delahay, G. C. Smith, and M. R. Hutchings, *Management of disease in wild mammals*. Tokyo: Springer, 2009 [Online]. Available: <https://ezproxy.lib.gla.ac.uk/login?url=https://dx.doi.org/10.1007/978-4-431-77134-0>

[80]

Conservation and Development Interventions at the wildlife/livestock interface. World Conservation Union [Online]. Available: <https://www.wcs-ahead.org/book/AHEADbook27MB.pdf>

[81]

D. L. Knobel, T. Lembo, M. Morters, S. E. Townsend, S. Cleaveland, and K. Hampson, 'Dog Rabies and Its Control', in *Rabies*, Elsevier, 2013, pp. 591–615.

[82]

D. L. Knobel, J. R. A. Butler, T. Lembo, R. Critchlow, and M. E. Gompper, 'Dogs, disease, and wildlife', in *Free-Ranging Dogs and Wildlife Conservation*, M. E. Gompper, Ed. Oxford University Press, 2013, pp. 144–169 [Online]. Available: <https://ezproxy.lib.gla.ac.uk/login?url=https://www.oxfordscholarship.com/view/10.1093/acprof:osobl/9780199663217.001.0001/acprof-9780199663217>

[83]

T. Lembo et al., 'The Feasibility of Canine Rabies Elimination in Africa: Dispelling Doubts with Data', *PLoS Neglected Tropical Diseases*, vol. 4, no. 2, Feb. 2010, doi: 10.1371/journal.pntd.0000626.

[84]

K. Hampson et al., 'Rabies Exposures, Post-Exposure Prophylaxis and Deaths in a Region of Endemic Canine Rabies', PLoS Neglected Tropical Diseases, vol. 2, no. 11, Nov. 2008, doi: 10.1371/journal.pntd.0000339.

[85]

S. CLEAVELAND et al., 'The Conservation Relevance of Epidemiological Research into Carnivore Viral Diseases in the Serengeti', Conservation Biology, vol. 21, no. 3, pp. 612–622, Jun. 2007, doi: 10.1111/j.1523-1739.2007.00701.x.

[86]

C. D. Marsden, R. K. Wayne, and B. K. Mable, 'Inferring the ancestry of African wild dogs that returned to the Serengeti-Mara', Conservation Genetics, vol. 13, no. 2, pp. 525–533, Apr. 2012, doi: 10.1007/s10592-011-0304-z.

[87]

D. T. Haydon et al., 'Low-coverage vaccination strategies for the conservation of endangered species', Nature, vol. 443, no. 7112, pp. 692–695, Oct. 2006, doi: 10.1038/nature05177.

[88]

S. A. J. Leendertz et al., 'Ebola in great apes - current knowledge, possibilities for vaccination, and implications for conservation and human health', Mammal Review, vol. 47, no. 2, pp. 98–111, Apr. 2017, doi: 10.1111/mam.12082.

[89]

S. Parida, 'Vaccination against foot-and-mouth disease virus: strategies and effectiveness', Expert Review of Vaccines, vol. 8, no. 3, pp. 347–365, Mar. 2009, doi: 10.1586/14760584.8.3.347.

[90]

A. C. Jackson and W. H. Wunner, Eds., Rabies. Orlando, Florida: Academic Press, 2002 [Online]. Available: <https://ezproxy.lib.gla.ac.uk/login?url=https://doi.org/10.1016/B978-0-12-379077-4.X5000-7>

[91]

S. E. Townsend et al., 'Surveillance guidelines for disease elimination: A case study of canine rabies', Comparative Immunology, Microbiology and Infectious Diseases, vol. 36, no. 3, pp. 249-261, May 2013, doi: 10.1016/j.cimid.2012.10.008.

[92]

S. E. Townsend et al., 'Designing Programs for Eliminating Canine Rabies from Islands: Bali, Indonesia as a Case Study', PLoS Neglected Tropical Diseases, vol. 7, no. 8, Aug. 2013, doi: 10.1371/journal.pntd.0002372.

[93]

C. A. Donnelly et al., 'Positive and negative effects of widespread badger culling on tuberculosis in cattle', Nature, vol. 439, no. 7078, pp. 843-846, Feb. 2006, doi: 10.1038/nature04454.

[94]

K. Hampson et al., 'Transmission Dynamics and Prospects for the Elimination of Canine Rabies', PLoS Biology, vol. 7, no. 3, Mar. 2009, doi: 10.1371/journal.pbio.1000053.

[95]

C. M. Nunes et al., 'Dog culling and replacement in an area endemic for visceral leishmaniasis in Brazil', Veterinary Parasitology, vol. 153, no. 1-2, pp. 19-23, May 2008, doi: 10.1016/j.vetpar.2008.01.005.

[96]

M. K. Morters, O. Restif, K. Hampson, S. Cleaveland, J. L. N. Wood, and A. J. K. Conlan, 'Evidence-based control of canine rabies: a critical review of population density reduction', Journal of Animal Ecology, vol. 82, no. 1, pp. 6-14, Jan. 2013, doi: 10.1111/j.1365-2656.2012.02033.x.

[97]

K. Hampson et al., 'Estimating the Global Burden of Endemic Canine Rabies', PLOS Neglected Tropical Diseases, vol. 9, no. 4, Apr. 2015, doi: 10.1371/journal.pntd.0003709.

[98]

M. A. N. Vigilato et al., 'Progress towards eliminating canine rabies: policies and perspectives from Latin America and the Caribbean', Philosophical Transactions of the Royal Society B: Biological Sciences, vol. 368, no. 1623, pp. 20120143–20120143, Jun. 2013, doi: 10.1098/rstb.2012.0143.

[99]

P. Klepac, C. J. E. Metcalf, A. R. McLean, and K. Hampson, 'Towards the endgame and beyond: complexities and challenges for the elimination of infectious diseases', Philosophical Transactions of the Royal Society B: Biological Sciences, vol. 368, no. 1623, pp. 20120137–20120137, Jun. 2013, doi: 10.1098/rstb.2012.0137.

[100]

World Health Organization, Anthrax in humans and animals. Geneva, Switzerland: World Health Organization, 2008 [Online]. Available:
<https://www.who.int/csr/resources/publications/AnthraxGuidelines2008/en/>