Applied Ecology and Conservation

Level 3 Environmental Science and Sustainability course



[1]

Ahrestani, F.S. et al. 2016. Variation in stability of elk and red deer populations with abiotic and biotic factors at the species distribution scale. Ecology. (Jul. 2016). DOI:https://doi.org/10.1002/ecy.1540.

[2]

Appeltans, W. et al. 2012. The Magnitude of Global Marine Species Diversity. Current Biology. 22, 23 (Dec. 2012), 2189–2202. DOI:https://doi.org/10.1016/j.cub.2012.09.036.

[3]

Beeby, A. and Brennan, A.-M. 2008. First ecology. Oxford University Press.

[4]

Beeby, A. and Brennan, A.-M. 2008. First ecology. Oxford University Press.

[5]

Bellard, C. et al. 2012. Impacts of climate change on the future of biodiversity. Ecology Letters. 15, 4 (Apr. 2012), 365–377. DOI:https://doi.org/10.1111/j.1461-0248.2011.01736.x.

[6]

Canessa, S. et al. 2016. Planning for ex situ conservation in the face of uncertainty.

Conservation Biology. 30, 3 (Jun. 2016), 599–609. DOI:https://doi.org/10.1111/cobi.12613.

[7]

Castro, P. and Huber, M.E. 2000. Marine biology. McGraw-Hill.

[8]

Cotgreave, P. and Forseth, I. 2002. Introductory ecology. Blackwell Publishers.

[9]

Cotgreave, P. and Forseth, I. 2002. Introductory ecology. Blackwell Publishers.

[10]

Dickinson, G. and Murphy, K.J. 1998. Ecosystems : a functional approach. Routledge.

[11]

Dubuis, A. et al. 2013. Predicting current and future spatial community patterns of plant functional traits. Ecography. 36, 11 (Nov. 2013), 1158–1168. DOI:https://doi.org/10.1111/j.1600-0587.2013.00237.x.

[12]

Frankham, R. et al. 2012. Implications of different species concepts for conserving biodiversity. Biological Conservation. 153, (Sep. 2012), 25–31. DOI:https://doi.org/10.1016/j.biocon.2012.04.034.

[13]

Gaston, K.J. and Spicer, J.I. 2004. Biodiversity: an introduction. Blackwell Pub.

[14]

Gaston, K.J. and Spicer, J.I. 2004. Biodiversity: an introduction. Blackwell Pub.

[15]

Gosselin, J. et al. 2014. The relative importance of direct and indirect effects of hunting mortality on the population dynamics of brown bears. Proceedings of the Royal Society B: Biological Sciences. 282, 1798 (Nov. 2014), 20141840–20141840. DOI:https://doi.org/10.1098/rspb.2014.1840.

[16]

He, Q. et al. 2013. Global shifts towards positive species interactions with increasing environmental stress. Ecology Letters. 16, 5 (May 2013), 695–706. DOI:https://doi.org/10.1111/ele.12080.

[17]

Johnston, A. et al. 2015. Modelling the abundance and distribution of marine birds accounting for uncertain species identification. Journal of Applied Ecology. 52, 1 (Feb. 2015), 150–160. DOI:https://doi.org/10.1111/1365-2664.12364.

[18]

Jørgensen, S.E. and Nielsen, S.N. 2013. The properties of the ecological hierarchy and their application as ecological indicators. Ecological Indicators. 28, (May 2013), 48–53. DOI:https://doi.org/10.1016/j.ecolind.2012.04.010.

[19]

Keystone Species Hypothesis: http://www.washington.edu/research/pathbreakers/1969g.html.

[20]

Ledger, K.J. et al. 2015. Impact of an invader on species diversity is stronger in the non-native range than in the native range. Plant Ecology. 216, 9 (Sep. 2015), 1285–1295. DOI:https://doi.org/10.1007/s11258-015-0508-2.

[21]

Pagel, J. and Schurr, F.M. 2012. Forecasting species ranges by statistical estimation of ecological niches and spatial population dynamics. Global Ecology and Biogeography. 21, 2 (Feb. 2012), 293–304. DOI:https://doi.org/10.1111/j.1466-8238.2011.00663.x.

[22]

Pauw, A. 2013. Can pollination niches facilitate plant coexistence? Trends in Ecology & Evolution. 28, 1 (Jan. 2013), 30–37. DOI:https://doi.org/10.1016/j.tree.2012.07.019.

[23]

Pons, P. and Rost, J. 2016. The challenge of conserving biodiversity in harvested burned forests. Conservation Biology. (May 2016). DOI:https://doi.org/10.1111/cobi.12767.

[24]

Souza, G.M. et al. 2016. Hierarchy and Information in a System Approach to Plant Biology: Explaining the Irreducibility in Plant Ecophysiology. Progress in Botany 77. U. Lüttge et al., eds. Springer International Publishing. 167–186.

[25]

Spellerberg, I.F. and Fedor, P.J. 2003. A tribute to Claude Shannon (1916-2001) and a plea for more rigorous use of species richness, species diversity and the 'Shannon-Wiener' Index. Global Ecology and Biogeography. 12, 3 (May 2003), 177–179. DOI:https://doi.org/10.1046/j.1466-822X.2003.00015.x.

[26]

The Great Bustard Group - Great Bustard reintroduction and conservation: http://greatbustard.org/.

[27]

The IUCN Red List of Threatened Species: http://www.iucnredlist.org/.

[28]

Thor Hanson 2006. EFFECTS OF HABITAT FRAGMENTATION ON THE REPRODUCTIVE ECOLOGY AND CONSERVATION GENETICS OF THE ALMENDRO (Dipteryx panamensis), A KEYSTONE RAINFOREST TREE.

[29]

Townsend, C.R. 2008. Ecological applications: toward a sustainable world. Blackwell.

[30]

Townsend, C.R. 2008. Ecological applications: toward a sustainable world. Blackwell.

[31]

Townsend, C.R. et al. 2002. Essentials of ecology. Blackwell Publishing.

[32]

Wingfield, J.C. 2013. Ecological processes and the ecology of stress: the impacts of abiotic environmental factors. Functional Ecology. 27, 1 (Feb. 2013), 37–44. DOI:https://doi.org/10.1111/1365-2435.12039.

[33]

WWF - Siamese Crocodile (Crocodylus siamensis): http://cambodia.panda.org/projects_and_reports/endangered_species/reptiles/siamese_cro codile/.

[34]

2014. Birth distribution, structure and dynamics of a hunted mountain population of Wild boars (Sus scrofa L.), Ticino, Switzerland. Journal of Mountain Ecology. 3, (2014).