The world class athlete

MED5363, MED5350



[1]

Baechle, T.R. and National Strength & Conditioning Association (U.S) 1994. Essentials of strength training and conditioning. Human Kinetics.

[2]

Baggish, A.L. et al. 2011. Dynamic regulation of circulating microRNA during acute exhaustive exercise and sustained aerobic exercise training. The Journal of Physiology. 589, 16 (Aug. 2011), 3983–3994. DOI:https://doi.org/10.1113/jphysiol.2011.213363.

[3]

Bailey, S.J. et al. 2009. Dietary nitrate supplementation reduces the O2 cost of low-intensity exercise and enhances tolerance to high-intensity exercise in humans. Journal of Applied Physiology. 107, 4 (Oct. 2009), 1144–1155. DOI:https://doi.org/10.1152/japplphysiol.00722.2009.

[4]

Barnett, A. 2006. Using Recovery Modalities between Training Sessions in Elite Athletes. Sports Medicine. 36, 9 (2006), 781–796. DOI:https://doi.org/10.2165/00007256-200636090-00005.

[5]

Bartlett, J.D. et al. 2017. Relationships Between Internal and External Training Load in Team-Sport Athletes: Evidence for an Individualized Approach. International Journal of Sports Physiology and Performance. 12, 2 (Feb. 2017), 230–234. DOI:https://doi.org/10.1123/ijspp.2015-0791.

[6]

Battery, L. et al. 2011. Gene doping: Olympic genes for Olympic dreams. Journal of the Royal Society of Medicine. 104, 12 (Dec. 2011), 494–500. DOI:https://doi.org/10.1258/jrsm.2011.110240.

[7]

Bean, A. 2003. The complete guide to sports nutrition. A & C. Black.

[8]

Bouchard, C. et al. Familial aggregation of V o 2 max response to exercise training: results from the HERITAGE Family Study. 87, 1003–1008.

[9]

Bouchard, C. and Hoffman, E.P. Genetic and molecular aspects of sport performance. Wiley-Blackwell.

[10]

Bruce, M. et al. 1986. The psychopharmacological and electrophysiological effects of single doses of caffeine in healthy human subjects. British Journal of Clinical Pharmacology. 22, 1 (Jul. 1986), 81–87. DOI:https://doi.org/10.1111/j.1365-2125.1986.tb02883.x.

[11]

Burke, L. 2007. Practical sports nutrition. Human Kinetics.

[12]

Burke, L.M. et al. 2004. Carbohydrates and fat for training and recovery. Journal of Sports Sciences. 22, 1 (Jan. 2004), 15–30. DOI:https://doi.org/10.1080/0264041031000140527.

[13]

Burke, L.M. et al. 2011. Carbohydrates for training and competition. Journal of Sports Sciences. 29, sup1 (Jan. 2011), S17–S27. DOI:https://doi.org/10.1080/02640414.2011.585473.

[14]

Carr, A.J. et al. 2011. Effects of Acute Alkalosis and Acidosis on Performance. Sports Medicine. 41, 10 (Oct. 2011), 801–814. DOI:https://doi.org/10.2165/11591440-00000000-00000.

[15]

CARTER, J.M. et al. 2004. The Effect of Carbohydrate Mouth Rinse on 1-h Cycle Time Trial Performance. Medicine & Science in Sports & Exercise. (Dec. 2004), 2107–2111. DOI:https://doi.org/10.1249/01.MSS.0000147585.65709.6F.

[16]

Casajus, J.A. 2001. Seasonal variation in fitness variables in professional soccer player. THE JOURNAL OF SPORTS MEDICINE AND PHYSICAL FITNESS. 41, 4 (2001), 463–469.

[17]

CLARK, V.R. et al. 2000. Placebo effect of carbohydrate feedings during a 40-km cycling time trial. Medicine & Science in Sports & Exercise. (Sep. 2000), 1642–1647. DOI:https://doi.org/10.1097/00005768-200009000-00019.

[18]

Connor, J. et al. 2013. Would they dope? Revisiting the Goldman dilemma. British Journal of Sports Medicine. 47, 11 (Jul. 2013), 697–700. DOI:https://doi.org/10.1136/bjsports-2012-091826.

[19]

Cooke, M.B. et al. 2009. Creatine supplementation enhances muscle force recovery after eccentrically-induced muscle damage in healthy individuals. Journal of the International Society of Sports Nutrition. 6, 1 (2009). DOI:https://doi.org/10.1186/1550-2783-6-13.

[20]

Coyle, E.F. et al. Muscle glycogen utilization during prolonged strenuous exercise when fed carbohydrate. 61, 1, 165–172.

[21]

Crust, L. 2008. A review and conceptual re-examination of mental toughness: Implications for future researchers. Personality and Individual Differences. 45, 7 (Nov. 2008), 576–583. DOI:https://doi.org/10.1016/j.paid.2008.07.005.

[22]

CURRELL, K. and JEUKENDRUP, A.E. 2008. Superior Endurance Performance with Ingestion of Multiple Transportable Carbohydrates. Medicine & Science in Sports & Exercise. 40, 2 (Feb. 2008), 275–281. DOI:https://doi.org/10.1249/mss.0b013e31815adf19.

[23]

DeMARCO, H.M. et al. 1999. Pre-exercise carbohydrate meals: application of glycemic index. Medicine & Science in Sports & Exercise. 31, 1 (Jan. 1999), 164–170. DOI:https://doi.org/10.1097/00005768-199901000-00025.

[24]

Edge, J. et al. 2006. The effects of training intensity on muscle buffer capacity in females. European Journal of Applied Physiology. 96, 1 (Jan. 2006), 97–105. DOI:https://doi.org/10.1007/s00421-005-0068-6.

[25]

Erlacher, D. et al. 2011. Sleep habits in German athletes before important competitions or games. Journal of Sports Sciences. 29, 8 (May 2011), 859–866. DOI:https://doi.org/10.1080/02640414.2011.565782.

[26]

Faigenbaum, A.D. et al. 2009. Youth Resistance Training: Updated Position Statement

Paper From the National Strength and Conditioning Association. Journal of Strength and Conditioning Research. 23, (Aug. 2009), S60–S79. DOI:https://doi.org/10.1519/JSC.0b013e31819df407.

[27]

FOSTER, C. et al. 2001. A New Approach to Monitoring Exercise Training. Journal of Strength and Conditioning Research. 15, 1 (Feb. 2001), 109–115. DOI:https://doi.org/10.1519/00124278-200102000-00019.

[28]

Gabbett, T.J. and Jenkins, D.G. 2011. Relationship between training load and injury in professional rugby league players. Journal of Science and Medicine in Sport. 14, 3 (May 2011), 204–209. DOI:https://doi.org/10.1016/j.jsams.2010.12.002.

[29]

Gabbett, T.J. and Ullah, S. 2012. Relationship Between Running Loads and Soft-Tissue Injury in Elite Team Sport Athletes. Journal of Strength and Conditioning Research. 26, 4 (Apr. 2012), 953–960. DOI:https://doi.org/10.1519/JSC.0b013e3182302023.

[30]

Gamble, P. 2006. Periodization of Training for Team Sports Athletes. Strength and Conditioning Journal. 28, 5 (2006). DOI:https://doi.org/10.1519/1533-4295(2006)28[56:POTFTS]2.0.CO;2.

[31]

Gender differences in sleep quality and quantity in national level swimmers: http://www.tandfonline.com/doi/full/10.1080/02640414.2014.968382?mobileUi=0.

[32]

Goldstein, E.R. et al. 2010. International society of sports nutrition position stand: caffeine and performance. Journal of the International Society of Sports Nutrition. 7, 1 (2010). DOI:https://doi.org/10.1186/1550-2783-7-5.

[33]

Graham, T.E. et al. 1994. Caffeine and Exercise: Metabolism and Performance. Canadian Journal of Applied Physiology. 19, 2 (Jun. 1994), 111–138. DOI:https://doi.org/10.1139/h94-010.

[34]

van der Gronde, T. et al. 2013. Gene doping: an overview and current implications for athletes. British Journal of Sports Medicine. 47, 11 (Jul. 2013), 670–678. DOI:https://doi.org/10.1136/bjsports-2012-091288.

[35]

Hawley, J.A. et al. 1994. Glucose kinetics during prolonged exercise in euglycaemic and hyperglycaemic subjects. Pfl gers Archiv European Journal of Physiology. 426, 5 (Mar. 1994), 378–386. DOI:https://doi.org/10.1007/BF00388300.

[36]

Hoff, J. 2005. Training and testing physical capacities for elite soccer players. Journal of Sports Sciences. 23, 6 (Jun. 2005), 573–582. DOI:https://doi.org/10.1080/02640410400021252.

[37]

Hoff, J. and Helgerud, J. 2004. Endurance and Strength Training for Soccer Players. Sports Medicine. 34, 3 (2004), 165–180. DOI:https://doi.org/10.2165/00007256-200434030-00003.

[38]

IZQUIERDO, M. et al. 2002. Effects of creatine supplementation on muscle power, endurance, and sprint performance. Medicine and Science in Sports and Exercise. 34, 2 (Feb. 2002), 332–343. DOI:https://doi.org/10.1097/00005768-200202000-00023.

[39]

Jeukendrup, A. 2014. A Step Towards Personalized Sports Nutrition: Carbohydrate Intake During Exercise. Sports Medicine. 44, S1 (May 2014), 25–33.

DOI:https://doi.org/10.1007/s40279-014-0148-z.

[40]

Jeukendrup, A.E. et al. Carbohydrate mouth rinse: performance effects and mechanisms. 26, 1, 1–8.

[41]

Jeukendrup, A.E. 2013. Multiple transportable carbohydrates and their benefits. 26, 108 (2013), 1–5.

[42]

Jeukendrup, A.E. 2011. Nutrition for endurance sports: Marathon, triathlon, and road cycling. Journal of Sports Sciences. 29, sup1 (Jan. 2011), S91–S99. DOI:https://doi.org/10.1080/02640414.2011.610348.

[43]

Jeukendrup, A.E. 2010. Sports nutrition: from lab to kitchen. Meyer & Meyer Sport.

[44]

Jeukendrup, A.E. and Jentjens, R. 2000. Oxidation of Carbohydrate Feedings During Prolonged Exercise. Sports Medicine. 29, 6 (2000), 407–424. DOI:https://doi.org/10.2165/00007256-200029060-00004.

[45]

Jeukendrup, A.E. and Killer, S.C. 2010. The Myths Surrounding Pre-Exercise Carbohydrate Feeding. Annals of Nutrition and Metabolism. 57, s2 (2010), 18–25. DOI:https://doi.org/10.1159/000322698.

[46]

Jones, A.M. 2013. DIETARY NITRATE: THE NEW MAGIC BULLET? 26, 110 (2013), 1-5.

[47]

Juliff, L.E. et al. 2015. Understanding sleep disturbance in athletes prior to important competitions. Journal of Science and Medicine in Sport. 18, 1 (Jan. 2015), 13–18. DOI:https://doi.org/10.1016/j.jsams.2014.02.007.

[48]

Kelly, V.G. and Coutts, A.J. 2007. Planning and Monitoring Training Loads During the Competition Phase in Team Sports. Strength and Conditioning Journal. 29, 4 (2007). DOI:https://doi.org/10.1519/1533-4295(2007)29[32:PAMTLD]2.0.CO;2.

[49]

Leeder, J. et al. 2012. Sleep duration and quality in elite athletes measured using wristwatch actigraphy. Journal of Sports Sciences. 30, 6 (Mar. 2012), 541–545. DOI:https://doi.org/10.1080/02640414.2012.660188.

[50]

MacNamara, Á. et al. 2010. The Role of Psychological Characteristics in Facilitating the Pathway to Elite Performance Part 1: Identifying Mental Skills and Behaviors. The Sport Psychologist. 24, 1 (Mar. 2010), 52–73. DOI:https://doi.org/10.1123/tsp.24.1.52.

[51]

Maeda, T. and Yasukouchi, A. 1997. Blood Lactate Disappearance during Breathing Hyperoxic Gas after Exercise in Two Different Physical Fitness Groups. On The Work Load Fixed at 70%VO2max. APPLIED HUMAN SCIENCE Journal of Physiological Anthropology. 16, 6 (1997), 249–255. DOI:https://doi.org/10.2114/jpa.16.249.

[52]

Malone, S. et al. 2016. The acute:chonic workload ratio in relation to injury risk in professional soccer. Journal of Science and Medicine in Sport. (Nov. 2016). DOI:https://doi.org/10.1016/j.jsams.2016.10.014.

Maughan, R.J. ed. 2000. Nutrition in Sport. Blackwell Science Ltd.

[54]

Maughan, R.J. ed. 2000. Nutrition in Sport. Blackwell Science Ltd.

[55]

Maughan, R.J. et al. 2007. The use of dietary supplements by athletes. Journal of Sports Sciences. 25, sup1 (Dec. 2007), S103–S113. DOI:https://doi.org/10.1080/02640410701607395.

[56]

McMillan, K. 2005. Lactate threshold responses to a season of professional British youth soccer. British Journal of Sports Medicine. 39, 7 (Jul. 2005), 432–436. DOI:https://doi.org/10.1136/bjsm.2004.012260.

[57]

Mellalieu, S.D. et al. 2008. Hearts in the fire, heads in the fridge: A qualitative investigation into the temporal patterning of the precompetitive psychological response in elite performers. Journal of Sports Sciences. 26, 8 (Jun. 2008), 811–824. DOI:https://doi.org/10.1080/02640410701790787.

[58]

Milewski, M.D. et al. 2014. Chronic Lack of Sleep is Associated With Increased Sports Injuries in Adolescent Athletes. Journal of Pediatric Orthopaedics. 34, 2 (Mar. 2014), 129–133.

[59]

Mondazzi, L. and Arcelli, E. 2009. Glycemic Index in Sport Nutrition. Journal of the American College of Nutrition. 28, sup4 (Aug. 2009), 455S-463S. DOI:https://doi.org/10.1080/07315724.2009.10718112.

Moore, D.R. et al. 2008. Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. American Journal of Clinical Nutrition. 89, 1 (Dec. 2008), 161–168. DOI:https://doi.org/10.3945/ajcn.2008.26401.

[61]

Mujika, I. et al. 2004. Physiological Changes Associated with the Pre-Event Taper in Athletes. Sports Medicine. 34, 13 (2004), 891–927. DOI:https://doi.org/10.2165/00007256-200434130-00003.

[62]

MUJIKA, I. and PADILLA, S. 2003. Scientific Bases for Precompetition Tapering Strategies. Medicine & Science in Sports & Exercise. 35, 7 (Jul. 2003), 1182–1187. DOI:https://doi.org/10.1249/01.MSS.0000074448.73931.11.

[63]

Murray, K. et al. Normobaric hyperoxia training in elite female hockey players. Journal of sports medicine and physical fitness. 56, 12, 1488–1493.

[64]

Natal Rebelo, A. and Soares, J.M. 1995. The impact of soccer training on the immune system. 35, 3 (1995), 258–271.

[65]

Pedersen, D.J. et al. 2008. High rates of muscle glycogen resynthesis after exhaustive exercise when carbohydrate is coingested with caffeine. Journal of Applied Physiology. 105, 1 (May 2008), 7–13. DOI:https://doi.org/10.1152/japplphysiol.01121.2007.

[66]

Peeling, P. and Andersson, R. 2011. Effect of hyperoxia during the rest periods of interval training on perceptual recovery and oxygen re-saturation time. Journal of Sports Sciences. 29, 2 (Jan. 2011), 147–150. DOI:https://doi.org/10.1080/02640414.2010.526133.

[67]

PÉRUSSE, L. et al. 2013. Advances in Exercise, Fitness, and Performance Genomics in 2012. Medicine & Science in Sports & Exercise. 45, 5 (May 2013), 824–831. DOI:https://doi.org/10.1249/MSS.0b013e31828b28a3.

[68]

Phillips, S.M. and Van Loon, L.J.C. 2011. Dietary protein for athletes: From requirements to optimum adaptation. Journal of Sports Sciences. 29, sup1 (Jan. 2011), S29–S38. DOI:https://doi.org/10.1080/02640414.2011.619204.

[69]

Rankinen, T. et al. 2006. The Human Obesity Gene Map: The 2005 Update. Obesity. 14, 4 (Apr. 2006), 529–644. DOI:https://doi.org/10.1038/oby.2006.71.

[70]

Robey, E. et al. 2014. Sleep quantity and quality in youth soccer players: A pilot study. European Journal of Sport Science. 14, 5 (Jul. 2014), 410–417. DOI:https://doi.org/10.1080/17461391.2013.843024.

[71]

Robinson, T.M. et al. 1AD. Role of submaximal exercise in promoting creatine and glycogen accumulation in human skeletal muscle. 87, 2 (1AD), 598–604.

[72]

Rogalski, B. et al. 2013. Training and game loads and injury risk in elite Australian footballers. Journal of Science and Medicine in Sport. 16, 6 (Nov. 2013), 499–503. DOI:https://doi.org/10.1016/j.jsams.2012.12.004.

[73]

Rowlands, D.S. and Hopkins, W.G. 2002. Effects of high-fat and high-carbohydrate diets on metabolism and performance in cycling. Metabolism. 51, 6 (Jun. 2002), 678–690. DOI:https://doi.org/10.1053/meta.2002.32723.

[74]

Samuels, C. 2008. Sleep, Recovery, and Performance: The New Frontier in High-Performance Athletics. Neurologic Clinics. 26, 1 (Feb. 2008), 169–180. DOI:https://doi.org/10.1016/j.ncl.2007.11.012.

[75]

SAUNDERS, M.J. et al. 2004. Effects of a Carbohydrate-Protein Beverage on Cycling Endurance and Muscle Damage. Medicine & Science in Sports & Exercise. 36, 7 (Jul. 2004), 1233–1238. DOI:https://doi.org/10.1249/01.MSS.0000132377.66177.9F.

[76]

Sperlich, B. et al. 2012. Effects of hyperoxia during recovery from 5×30-s bouts of maximal-intensity exercise. Journal of Sports Sciences. 30, 9 (May 2012), 851–858. DOI:https://doi.org/10.1080/02640414.2012.671531.

[77]

Tarnopolsky, M.A. 2010. Caffeine and Creatine Use in Sport. Annals of Nutrition and Metabolism. 57, s2 (2010), 1–8. DOI:https://doi.org/10.1159/000322696.

[78]

Thompson, H. 2012. Performance enhancement: Superhuman athletes. Nature. 487, 7407 (Jul. 2012), 287–289. DOI:https://doi.org/10.1038/487287a.

[79]

Timmons, J.A. et al. 2010. Using molecular classification to predict gains in maximal aerobic capacity following endurance exercise training in humans. Journal of Applied Physiology. 108, 6 (Jun. 2010), 1487–1496. DOI:https://doi.org/10.1152/japplphysiol.01295.2009.

[80]

Tsintzas, O.K. et al. 1995. Carbohydrate ingestion and glycogen utilization in different

muscle fibre types in man. The Journal of Physiology. 489, 1 (Nov. 1995), 243–250. DOI:https://doi.org/10.1113/jphysiol.1995.sp021046.

[81]

Tucker, R. and Collins, M. 2012. What makes champions? A review of the relative contribution of genes and training to sporting success. British Journal of Sports Medicine. 46, 8 (Jun. 2012), 555–561. DOI:https://doi.org/10.1136/bjsports-2011-090548.

[82]

VAN ESSEN, M. and GIBALA, M.J. 2006. Failure of Protein to Improve Time Trial Performance when Added to a Sports Drink. Medicine & Science in Sports & Exercise. 38, 8 (Aug. 2006), 1476–1483. DOI:https://doi.org/10.1249/01.mss.0000228958.82968.0a.

[83]

VOLEK, J.S. et al. 1999. Performance and muscle fiber adaptations to creatine supplementation and heavy resistance training. Medicine & Science in Sports & Exercise. 31, 8 (Aug. 1999), 1147–1156. DOI:https://doi.org/10.1097/00005768-199908000-00011.

[84]

Volek, J.S. and Rawson, E.S. 2004. Scientific basis and practical aspects of creatine supplementation for athletes. Nutrition. 20, 7–8 (Jul. 2004), 609–614. DOI:https://doi.org/10.1016/j.nut.2004.04.014.

[85]

Webborn, N. et al. 2015. Direct-to-consumer genetic testing for predicting sports performance and talent identification: Consensus statement. British Journal of Sports Medicine. 49, 23 (Dec. 2015), 1486–1491. DOI:https://doi.org/10.1136/bjsports-2015-095343.

[86]

Windt, J. et al. 2016. Training load--injury paradox: is greater preseason participation associated with lower in-season injury risk in elite rugby league players? British Journal of Sports Medicine. (Apr. 2016). DOI:https://doi.org/10.1136/bjsports-2016-095973.

[87]

Yang, N. et al. 2003. ACTN3 Genotype Is Associated with Human Elite Athletic Performance. The American Journal of Human Genetics. 73, 3 (Sep. 2003), 627–631. DOI:https://doi.org/10.1086/377590.

[88]

2013. Prevention, Diagnosis, and Treatment of the Overtraining Syndrome. Medicine & Science in Sports & Exercise. 45, 1 (Jan. 2013), 186–205. DOI:https://doi.org/10.1249/MSS.0b013e318279a10a.

[89]

2011. The Effects of Sleep Extension on the Athletic Performance of Collegiate Basketball Players. Sleep. (Jul. 2011). DOI:https://doi.org/10.5665/SLEEP.1132.