

# The world class athlete

MED5363, MED5350

View Online



Baechle, T.R. and National Strength & Conditioning Association (U.S) (1994) Essentials of strength training and conditioning. Champaign, Ill: Human Kinetics.

Baggish, A.L. et al. (2011) 'Dynamic regulation of circulating microRNA during acute exhaustive exercise and sustained aerobic exercise training', *The Journal of Physiology*, 589(16), pp. 3983–3994. Available at: <https://doi.org/10.1113/jphysiol.2011.213363>.

Bailey, S.J. et al. (2009) 'Dietary nitrate supplementation reduces the O<sub>2</sub> cost of low-intensity exercise and enhances tolerance to high-intensity exercise in humans', *Journal of Applied Physiology*, 107(4), pp. 1144–1155. Available at: <https://doi.org/10.1152/jappphysiol.00722.2009>.

Barnett, A. (2006) 'Using Recovery Modalities between Training Sessions in Elite Athletes', *Sports Medicine*, 36(9), pp. 781–796. Available at: <https://doi.org/10.2165/00007256-200636090-00005>.

Bartlett, J.D. et al. (2017) 'Relationships Between Internal and External Training Load in Team-Sport Athletes: Evidence for an Individualized Approach', *International Journal of Sports Physiology and Performance*, 12(2), pp. 230–234. Available at: <https://doi.org/10.1123/ijsp.2015-0791>.

Battery, L., Solomon, A. and Gould, D. (2011) 'Gene doping: Olympic genes for Olympic dreams', *Journal of the Royal Society of Medicine*, 104(12), pp. 494–500. Available at: <https://doi.org/10.1258/jrsm.2011.110240>.

Bean, A. (2003) *The complete guide to sports nutrition*. 4th ed. London: A & C. Black.

Bouchard, C. et al. (no date) 'Familial aggregation of V̇<sub>O</sub> 2 max response to exercise training: results from the HERITAGE Family Study', 87, pp. 1003–1008. Available at: <http://ezproxy.lib.gla.ac.uk/login?url=http://jap.physiology.org/content/87/3/1003.long>.

Bouchard, C. and Hoffman, E.P. (no date) *Genetic and molecular aspects of sport performance*. Chichester: Wiley-Blackwell. Available at: <https://doi.org/10.1002/9781444327335>.

Bruce, M. et al. (1986) 'The psychopharmacological and electrophysiological effects of single doses of caffeine in healthy human subjects.', *British Journal of Clinical Pharmacology*, 22(1), pp. 81–87. Available at: <https://doi.org/10.1111/j.1365-2125.1986.tb02883.x>.

Burke, L. (2007) *Practical sports nutrition*. Champaign, IL: Human Kinetics.

- Burke, L.M. et al. (2011) 'Carbohydrates for training and competition', *Journal of Sports Sciences*, 29(sup1), pp. S17–S27. Available at: <https://doi.org/10.1080/02640414.2011.585473>.
- Burke, L.M., Kiens, B. and Ivy, J.L. (2004) 'Carbohydrates and fat for training and recovery', *Journal of Sports Sciences*, 22(1), pp. 15–30. Available at: <https://doi.org/10.1080/0264041031000140527>.
- Carr, A.J., Hopkins, W.G. and Gore, C.J. (2011) 'Effects of Acute Alkalosis and Acidosis on Performance', *Sports Medicine*, 41(10), pp. 801–814. Available at: <https://doi.org/10.2165/11591440-000000000-00000>.
- CARTER, J.M., JEUKENDRUP, A.E. and JONES, D.A. (2004) 'The Effect of Carbohydrate Mouth Rinse on 1-h Cycle Time Trial Performance', *Medicine & Science in Sports & Exercise*, pp. 2107–2111. Available at: <https://doi.org/10.1249/01.MSS.0000147585.65709.6F>.
- Casajus, J.A. (2001) 'Seasonal variation in fitness variables in professional soccer player', *THE JOURNAL OF SPORTS MEDICINE AND PHYSICAL FITNESS*, 41(4), pp. 463–469. Available at: <https://www.minervamedica.it/en/journals/sports-med-physical-fitness/article.php?cod=R40Y2001N04A0463>.
- CLARK, V.R. et al. (2000) 'Placebo effect of carbohydrate feedings during a 40-km cycling time trial', *Medicine & Science in Sports & Exercise*, pp. 1642–1647. Available at: <https://doi.org/10.1097/00005768-200009000-00019>.
- Connor, J., Woolf, J. and Mazanov, J. (2013) 'Would they dope? Revisiting the Goldman dilemma', *British Journal of Sports Medicine*, 47(11), pp. 697–700. Available at: <https://doi.org/10.1136/bjsports-2012-091826>.
- Cooke, M.B. et al. (2009) 'Creatine supplementation enhances muscle force recovery after eccentrically-induced muscle damage in healthy individuals', *Journal of the International Society of Sports Nutrition*, 6(1). Available at: <https://doi.org/10.1186/1550-2783-6-13>.
- Coyle, E.F. et al. (no date) 'Muscle glycogen utilization during prolonged strenuous exercise when fed carbohydrate', 61(1), pp. 165–172. Available at: <http://jap.physiology.org/content/61/1/165.full.pdf+html>.
- Crust, L. (2008) 'A review and conceptual re-examination of mental toughness: Implications for future researchers', *Personality and Individual Differences*, 45(7), pp. 576–583. Available at: <https://doi.org/10.1016/j.paid.2008.07.005>.
- CURRELL, K. and JEUKENDRUP, A.E. (2008) 'Superior Endurance Performance with Ingestion of Multiple Transportable Carbohydrates', *Medicine & Science in Sports & Exercise*, 40(2), pp. 275–281. Available at: <https://doi.org/10.1249/mss.0b013e31815adf19>.
- DeMARCO, H.M. et al. (1999) 'Pre-exercise carbohydrate meals: application of glycemic index', *Medicine & Science in Sports & Exercise*, 31(1), pp. 164–170. Available at: <https://doi.org/10.1097/00005768-199901000-00025>.
- Edge, J., Bishop, D. and Goodman, C. (2006) 'The effects of training intensity on muscle

buffer capacity in females', *European Journal of Applied Physiology*, 96(1), pp. 97–105. Available at: <https://doi.org/10.1007/s00421-005-0068-6>.

Erlacher, D. et al. (2011) 'Sleep habits in German athletes before important competitions or games', *Journal of Sports Sciences*, 29(8), pp. 859–866. Available at: <https://doi.org/10.1080/02640414.2011.565782>.

Faigenbaum, A.D. et al. (2009) 'Youth Resistance Training: Updated Position Statement Paper From the National Strength and Conditioning Association', *Journal of Strength and Conditioning Research*, 23, pp. S60–S79. Available at: <https://doi.org/10.1519/JSC.0b013e31819df407>.

FOSTER, C. et al. (2001) 'A New Approach to Monitoring Exercise Training', *Journal of Strength and Conditioning Research*, 15(1), pp. 109–115. Available at: <https://doi.org/10.1519/00124278-200102000-00019>.

Gabbett, T.J. and Jenkins, D.G. (2011) 'Relationship between training load and injury in professional rugby league players', *Journal of Science and Medicine in Sport*, 14(3), pp. 204–209. Available at: <https://doi.org/10.1016/j.jsams.2010.12.002>.

Gabbett, T.J. and Ullah, S. (2012) 'Relationship Between Running Loads and Soft-Tissue Injury in Elite Team Sport Athletes', *Journal of Strength and Conditioning Research*, 26(4), pp. 953–960. Available at: <https://doi.org/10.1519/JSC.0b013e3182302023>.

Gamble, P. (2006) 'Periodization of Training for Team Sports Athletes', *Strength and Conditioning Journal*, 28(5). Available at: [https://doi.org/10.1519/1533-4295\(2006\)28\[56:POTFTS\]2.0.CO;2](https://doi.org/10.1519/1533-4295(2006)28[56:POTFTS]2.0.CO;2).

Gibson, N. and Sommerville, A.D. (no date) Gender differences in sleep quality and quantity in national level swimmers. BASES Conference/ *Journal of Sports Science*. Available at: <http://www.tandfonline.com/doi/full/10.1080/02640414.2014.968382?mobileUi=0>.

Goldstein, E.R. et al. (2010) 'International society of sports nutrition position stand: caffeine and performance', *Journal of the International Society of Sports Nutrition*, 7(1). Available at: <https://doi.org/10.1186/1550-2783-7-5>.

Graham, T.E., Rush, J.W.E. and Soeren, M.H. van (1994) 'Caffeine and Exercise: Metabolism and Performance', *Canadian Journal of Applied Physiology*, 19(2), pp. 111–138. Available at: <https://doi.org/10.1139/h94-010>.

van der Gronde, T. et al. (2013) 'Gene doping: an overview and current implications for athletes', *British Journal of Sports Medicine*, 47(11), pp. 670–678. Available at: <https://doi.org/10.1136/bjsports-2012-091288>.

Hawley, J.A. et al. (1994) 'Glucose kinetics during prolonged exercise in euglycaemic and hyperglycaemic subjects', *Pflügers Archiv European Journal of Physiology*, 426(5), pp. 378–386. Available at: <https://doi.org/10.1007/BF00388300>.

Hoff, J. (2005) 'Training and testing physical capacities for elite soccer players', *Journal of Sports Sciences*, 23(6), pp. 573–582. Available at: <https://doi.org/10.1080/02640410400021252>.

Hoff, J. and Helgerud, J. (2004) 'Endurance and Strength Training for Soccer Players', *Sports Medicine*, 34(3), pp. 165–180. Available at: <https://doi.org/10.2165/00007256-200434030-00003>.

IZQUIERDO, M. et al. (2002) 'Effects of creatine supplementation on muscle power, endurance, and sprint performance', *Medicine and Science in Sports and Exercise*, 34(2), pp. 332–343. Available at: <https://doi.org/10.1097/00005768-200202000-00023>.

Jeukendrup, A. (2014) 'A Step Towards Personalized Sports Nutrition: Carbohydrate Intake During Exercise', *Sports Medicine*, 44(S1), pp. 25–33. Available at: <https://doi.org/10.1007/s40279-014-0148-z>.

Jeukendrup, A.E. (2010) *Sports nutrition: from lab to kitchen*. Maidenhead: Meyer & Meyer Sport.

Jeukendrup, A.E. (2011) 'Nutrition for endurance sports: Marathon, triathlon, and road cycling', *Journal of Sports Sciences*, 29(sup1), pp. S91–S99. Available at: <https://doi.org/10.1080/02640414.2011.610348>.

Jeukendrup, A.E. (2013) 'Multiple transportable carbohydrates and their benefits', 26(108), pp. 1–5. Available at: [https://sites.uni.edu/dolgener/Advanced\\_Sport\\_Nutrition/Electronic%20Articles/Fall%202014/Sport%20Nutrition%20Fall%202014/Multiple%20Transportable%20CHO.pdf](https://sites.uni.edu/dolgener/Advanced_Sport_Nutrition/Electronic%20Articles/Fall%202014/Sport%20Nutrition%20Fall%202014/Multiple%20Transportable%20CHO.pdf).

Jeukendrup, A.E. and Jentjens, R. (2000) 'Oxidation of Carbohydrate Feedings During Prolonged Exercise', *Sports Medicine*, 29(6), pp. 407–424. Available at: <https://doi.org/10.2165/00007256-200029060-00004>.

Jeukendrup, A.E. and Killer, S.C. (2010) 'The Myths Surrounding Pre-Exercise Carbohydrate Feeding', *Annals of Nutrition and Metabolism*, 57(s2), pp. 18–25. Available at: <https://doi.org/10.1159/000322698>.

Jeukendrup, A.E., Rollo, I. and Carter, J.M. (no date) 'Carbohydrate mouth rinse: performance effects and mechanisms.', 26(1), pp. 1–8. Available at: <http://www.gssiweb.org/en/sports-science-exchange/article/sse-118-carbohydrate-mouth-rinse-performance-effects-and-mechanisms>.

Jones, A.M. (2013) 'DIETARY NITRATE: THE NEW MAGIC BULLET?', 26(110), pp. 1–5. Available at: [https://secure.footprint.net/gatorade/stg/gssiweb/pdf/110\\_Jones\\_SSE.pdf](https://secure.footprint.net/gatorade/stg/gssiweb/pdf/110_Jones_SSE.pdf).

Juliff, L.E., Halson, S.L. and Peiffer, J.J. (2015) 'Understanding sleep disturbance in athletes prior to important competitions', *Journal of Science and Medicine in Sport*, 18(1), pp. 13–18. Available at: <https://doi.org/10.1016/j.jsams.2014.02.007>.

Kelly, V.G. and Coutts, A.J. (2007) 'Planning and Monitoring Training Loads During the Competition Phase in Team Sports', *Strength and Conditioning Journal*, 29(4). Available at: [https://doi.org/10.1519/1533-4295\(2007\)29\[32:PAMTLD\]2.0.CO;2](https://doi.org/10.1519/1533-4295(2007)29[32:PAMTLD]2.0.CO;2).

Leeder, J. et al. (2012) 'Sleep duration and quality in elite athletes measured using wristwatch actigraphy', *Journal of Sports Sciences*, 30(6), pp. 541–545. Available at: <https://doi.org/10.1080/02640414.2012.660188>.

MacNamara, Á., Button, A. and Collins, D. (2010) 'The Role of Psychological Characteristics in Facilitating the Pathway to Elite Performance Part 1: Identifying Mental Skills and Behaviors', *The Sport Psychologist*, 24(1), pp. 52–73. Available at: <https://doi.org/10.1123/tsp.24.1.52>.

Maeda, T. and Yasukouchi, A. (1997) 'Blood Lactate Disappearance during Breathing Hyperoxic Gas after Exercise in Two Different Physical Fitness Groups. On The Work Load Fixed at 70%VO<sub>2</sub>max.', *APPLIED HUMAN SCIENCE Journal of Physiological Anthropology*, 16(6), pp. 249–255. Available at: <https://doi.org/10.2114/jpa.16.249>.

Malone, S. et al. (2016) 'The acute:chronic workload ratio in relation to injury risk in professional soccer', *Journal of Science and Medicine in Sport* [Preprint]. Available at: <https://doi.org/10.1016/j.jsams.2016.10.014>.

Maughan, R.J. (ed.) (2000a) *Nutrition in Sport*. Oxford, UK: Blackwell Science Ltd.

Maughan, R.J. (ed.) (2000b) *Nutrition in Sport*. Oxford, UK: Blackwell Science Ltd. Available at: <http://content.talisaspire.com/glasgow/bundles/58db7718e7ebb6854b8b4568>.

Maughan, R.J., Depiesse, F. and Geyer, H. (2007) 'The use of dietary supplements by athletes', *Journal of Sports Sciences*, 25(sup1), pp. S103–S113. Available at: <https://doi.org/10.1080/02640410701607395>.

McMillan, K. (2005) 'Lactate threshold responses to a season of professional British youth soccer', *British Journal of Sports Medicine*, 39(7), pp. 432–436. Available at: <https://doi.org/10.1136/bjism.2004.012260>.

Mellalieu, S.D., Hanton, S. and Shearer, D.A. (2008) 'Hearts in the fire, heads in the fridge: A qualitative investigation into the temporal patterning of the precompetitive psychological response in elite performers', *Journal of Sports Sciences*, 26(8), pp. 811–824. Available at: <https://doi.org/10.1080/02640410701790787>.

Milewski, M.D. et al. (2014) 'Chronic Lack of Sleep is Associated With Increased Sports Injuries in Adolescent Athletes', *Journal of Pediatric Orthopaedics*, 34(2), pp. 129–133. Available at: [http://journals.lww.com/pedorthopaedics/Abstract/2014/03000/Chronic\\_Lack\\_of\\_Sleep\\_is\\_Associated\\_With\\_Increased.1.aspx](http://journals.lww.com/pedorthopaedics/Abstract/2014/03000/Chronic_Lack_of_Sleep_is_Associated_With_Increased.1.aspx).

Mondazzi, L. and Arcelli, E. (2009) 'Glycemic Index in Sport Nutrition', *Journal of the American College of Nutrition*, 28(sup4), pp. 455S–463S. Available at: <https://doi.org/10.1080/07315724.2009.10718112>.

Moore, D.R. et al. (2008) 'Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men', *American Journal of Clinical Nutrition*, 89(1), pp. 161–168. Available at: <https://doi.org/10.3945/ajcn.2008.26401>.

Mujika, I. et al. (2004) 'Physiological Changes Associated with the Pre-Event Taper in Athletes', *Sports Medicine*, 34(13), pp. 891–927. Available at: <https://doi.org/10.2165/00007256-200434130-00003>.

MUJIKAI, I. and PADILLA, S. (2003) 'Scientific Bases for Precompetition Tapering Strategies', *Medicine & Science in Sports & Exercise*, 35(7), pp. 1182–1187. Available at:

<https://doi.org/10.1249/01.MSS.0000074448.73931.11>.

Murray, K. et al. (no date) 'Normobaric hyperoxia training in elite female hockey players', *Journal of sports medicine and physical fitness*, 56(12), pp. 1488–1493.

Natal Rebelo, A. and Soares, J.M. (1995) 'The impact of soccer training on the immune system', 35(3), pp. 258–271. Available at: <https://www.minervamedica.it/en/journals/sports-med-physical-fitness/archive.php?cod=R40>.

Pedersen, D.J. et al. (2008) 'High rates of muscle glycogen resynthesis after exhaustive exercise when carbohydrate is coingested with caffeine', *Journal of Applied Physiology*, 105(1), pp. 7–13. Available at: <https://doi.org/10.1152/jappphysiol.01121.2007>.

Peeling, P. and Andersson, R. (2011) 'Effect of hyperoxia during the rest periods of interval training on perceptual recovery and oxygen re-saturation time', *Journal of Sports Sciences*, 29(2), pp. 147–150. Available at: <https://doi.org/10.1080/02640414.2010.526133>.

PÉRUSSE, L. et al. (2013) 'Advances in Exercise, Fitness, and Performance Genomics in 2012', *Medicine & Science in Sports & Exercise*, 45(5), pp. 824–831. Available at: <https://doi.org/10.1249/MSS.0b013e31828b28a3>.

Phillips, S.M. and Van Loon, L.J.C. (2011) 'Dietary protein for athletes: From requirements to optimum adaptation', *Journal of Sports Sciences*, 29(sup1), pp. S29–S38. Available at: <https://doi.org/10.1080/02640414.2011.619204>.

'Prevention, Diagnosis, and Treatment of the Overtraining Syndrome' (2013) *Medicine & Science in Sports & Exercise*, 45(1), pp. 186–205. Available at: <https://doi.org/10.1249/MSS.0b013e318279a10a>.

Rankinen, T. et al. (2006) 'The Human Obesity Gene Map: The 2005 Update', *Obesity*, 14(4), pp. 529–644. Available at: <https://doi.org/10.1038/oby.2006.71>.

Robey, E. et al. (2014) 'Sleep quantity and quality in youth soccer players: A pilot study', *European Journal of Sport Science*, 14(5), pp. 410–417. Available at: <https://doi.org/10.1080/17461391.2013.843024>.

Robinson, T.M. et al. (1AD) 'Role of submaximal exercise in promoting creatine and glycogen accumulation in human skeletal muscle', 87(2), pp. 598–604. Available at: <http://jap.physiology.org/content/87/2/598.long>.

Rogalski, B. et al. (2013) 'Training and game loads and injury risk in elite Australian footballers', *Journal of Science and Medicine in Sport*, 16(6), pp. 499–503. Available at: <https://doi.org/10.1016/j.jsams.2012.12.004>.

Rowlands, D.S. and Hopkins, W.G. (2002) 'Effects of high-fat and high-carbohydrate diets on metabolism and performance in cycling', *Metabolism*, 51(6), pp. 678–690. Available at: <https://doi.org/10.1053/meta.2002.32723>.

Samuels, C. (2008) 'Sleep, Recovery, and Performance: The New Frontier in High-Performance Athletics', *Neurologic Clinics*, 26(1), pp. 169–180. Available at: <https://doi.org/10.1016/j.ncl.2007.11.012>.

- SAUNDERS, M.J., KANE, M.D. and TODD, M.K. (2004) 'Effects of a Carbohydrate-Protein Beverage on Cycling Endurance and Muscle Damage', *Medicine & Science in Sports & Exercise*, 36(7), pp. 1233–1238. Available at: <https://doi.org/10.1249/01.MSS.0000132377.66177.9F>.
- Sperlich, B. et al. (2012) 'Effects of hyperoxia during recovery from 5×30-s bouts of maximal-intensity exercise', *Journal of Sports Sciences*, 30(9), pp. 851–858. Available at: <https://doi.org/10.1080/02640414.2012.671531>.
- Tarnopolsky, M.A. (2010) 'Caffeine and Creatine Use in Sport', *Annals of Nutrition and Metabolism*, 57(s2), pp. 1–8. Available at: <https://doi.org/10.1159/000322696>.
- 'The Effects of Sleep Extension on the Athletic Performance of Collegiate Basketball Players' (2011) Sleep [Preprint]. Available at: <https://doi.org/10.5665/SLEEP.1132>.
- Thompson, H. (2012) 'Performance enhancement: Superhuman athletes', *Nature*, 487(7407), pp. 287–289. Available at: <https://doi.org/10.1038/487287a>.
- Timmons, J.A. et al. (2010) 'Using molecular classification to predict gains in maximal aerobic capacity following endurance exercise training in humans', *Journal of Applied Physiology*, 108(6), pp. 1487–1496. Available at: <https://doi.org/10.1152/jappphysiol.01295.2009>.
- Tsintzas, O.K. et al. (1995) 'Carbohydrate ingestion and glycogen utilization in different muscle fibre types in man.', *The Journal of Physiology*, 489(1), pp. 243–250. Available at: <https://doi.org/10.1113/jphysiol.1995.sp021046>.
- Tucker, R. and Collins, M. (2012) 'What makes champions? A review of the relative contribution of genes and training to sporting success', *British Journal of Sports Medicine*, 46(8), pp. 555–561. Available at: <https://doi.org/10.1136/bjsports-2011-090548>.
- VAN ESSEN, M. and GIBALA, M.J. (2006) 'Failure of Protein to Improve Time Trial Performance when Added to a Sports Drink', *Medicine & Science in Sports & Exercise*, 38(8), pp. 1476–1483. Available at: <https://doi.org/10.1249/01.mss.0000228958.82968.0a>.
- VOLEK, J.S. et al. (1999) 'Performance and muscle fiber adaptations to creatine supplementation and heavy resistance training', *Medicine & Science in Sports & Exercise*, 31(8), pp. 1147–1156. Available at: <https://doi.org/10.1097/00005768-199908000-00011>.
- Volek, J.S. and Rawson, E.S. (2004) 'Scientific basis and practical aspects of creatine supplementation for athletes', *Nutrition*, 20(7–8), pp. 609–614. Available at: <https://doi.org/10.1016/j.nut.2004.04.014>.
- Webborn, N. et al. (2015) 'Direct-to-consumer genetic testing for predicting sports performance and talent identification: Consensus statement', *British Journal of Sports Medicine*, 49(23), pp. 1486–1491. Available at: <https://doi.org/10.1136/bjsports-2015-095343>.
- Windt, J. et al. (2016) 'Training load--injury paradox: is greater preseason participation associated with lower in-season injury risk in elite rugby league players?', *British Journal of Sports Medicine* [Preprint]. Available at: <https://doi.org/10.1136/bjsports-2016-095973>.

Yang, N. et al. (2003) 'ACTN3 Genotype Is Associated with Human Elite Athletic Performance', *The American Journal of Human Genetics*, 73(3), pp. 627–631. Available at: <https://doi.org/10.1086/377590>.