

Cell Physiology of Exercise

BIOL4026

View Online



-
1.
Lundby C, Montero D, Joyner M. Biology of VO₂ max: looking under the physiology lamp. *Acta Physiologica*. 2017;220(2):218-228. doi:10.1111/apha.12827

 2.
Ramey DW. How to Read a Scientific Paper. Vol 45. *AAEP PROCEEDINGS*; 1999:280-284. <https://pdfs.semanticscholar.org/104b/3127547393d6b94a8641100e9c297d653f56.pdf>

 3.
BAAR K. Training for Endurance and Strength. *Medicine & Science in Sports & Exercise*. 2006;38(11):1939-1944. doi:10.1249/01.mss.0000233799.62153.19

 4.
Baar K, Hardie DG. Small molecules can have big effects on endurance. *Nature Chemical Biology*. 2008;4(10):583-584. doi:10.1038/nchembio1008-583

 5.
Barrès R, Yan J, Egan B, et al. Acute Exercise Remodels Promoter Methylation in Human Skeletal Muscle. *Cell Metabolism*. 2012;15(3):405-411. doi:10.1016/j.cmet.2012.01.001

 6.
Carè A, Catalucci D, Felicetti F, et al. MicroRNA-133 controls cardiac hypertrophy. *Nature Medicine*. 2007;13(5):613-618. doi:10.1038/nm1582

7.

Chien KR. Molecular medicine: MicroRNAs and the tell-tale heart. *Nature*. 2007;447(7143):389-390. doi:10.1038/447389a

8.

Eto Y, Yonekura K, Sonoda M, et al. Calcineurin Is Activated in Rat Hearts With Physiological Left Ventricular Hypertrophy Induced by Voluntary Exercise Training. *Circulation*. 2000;101(18):2134-2137. doi:10.1161/01.CIR.101.18.2134

9.

Fernandes T, Baraúna VG, Negrão CE, Phillips MI, Oliveira EM. Aerobic exercise training promotes physiological cardiac remodeling involving a set of microRNAs. *American Journal of Physiology-Heart and Circulatory Physiology*. 2015;309(4):H543-H552. doi:10.1152/ajpheart.00899.2014

10.

Iemitsu M, Maeda S, Jesmin S, Otsuki T, Kasuya Y, Miyauchi T. Activation pattern of MAPK signaling in the hearts of trained and untrained rats following a single bout of exercise. *Journal of Applied Physiology*. 2006;101(1):151-163. doi:10.1152/jappphysiol.00392.2005

11.

Maillet M, van Berlo JH, Molkentin JD. Molecular basis of physiological heart growth: fundamental concepts and new players. *Nature Reviews Molecular Cell Biology*. 2013;14(1):38-48. doi:10.1038/nrm3495

12.

Wilkins BJ, Dai YS, Bueno OF, et al. Calcineurin/NFAT Coupling Participates in Pathological, but not Physiological, Cardiac Hypertrophy. *Circulation Research*. 2004;94(1):110-118. doi:10.1161/01.RES.0000109415.17511.18

13.

Boluyt MO, Brevick JL, Rogers DS, Randall MJ, Scalia AF, Li ZB. Changes in the rat heart

proteome induced by exercise training: Increased abundance of heat shock protein hsp20. *PROTEOMICS*. 2006;6(10):3154-3169. doi:10.1002/pmic.200401356

14.

Burniston JG. Changes in the rat skeletal muscle proteome induced by moderate-intensity endurance exercise. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*. 2008;1784(7-8):1077-1086. doi:10.1016/j.bbapap.2008.04.007

15.

Burniston JG. Adaptation of the rat cardiac proteome in response to intensity-controlled endurance exercise. *PROTEOMICS*. 2009;9(1):106-115. doi:10.1002/pmic.200800268

16.

Bye A, Langaas M, Høydal MA, et al. Aerobic capacity-dependent differences in cardiac gene expression. *Physiological Genomics*. 2008;33(1):100-109. doi:10.1152/physiolgenomics.00269.2007

17.

Bye A, Høydal MA, Catalucci D, et al. Gene expression profiling of skeletal muscle in exercise-trained and sedentary rats with inborn high and low VO. *Physiological Genomics*. 2008;35(3):213-221. doi:10.1152/physiolgenomics.90282.2008

18.

Iemitsu M, Maeda S, Miyauchi T, Matsuda M, Tanaka H. Gene expression profiling of exercise-induced cardiac hypertrophy in rats. *Acta Physiologica Scandinavica*. 2005;185(4):259-270. doi:10.1111/j.1365-201X.2005.01494.x

19.

Kong SW, Bodyak N, Yue P, et al. Genetic expression profiles during physiological and pathological cardiac hypertrophy and heart failure in rats. *Physiological Genomics*. 2005;21(1):34-42. doi:10.1152/physiolgenomics.00226.2004

20.

Diffie GM. Adaptation of Cardiac Myocyte Contractile Properties to Exercise Training. *Exercise and Sport Sciences Reviews*. 2004;32(3):112-119. doi:10.1097/00003677-200407000-00007

21.

Kemi OJ, Haram PM, Wisløff U, Ellingsen Ø. Aerobic Fitness Is Associated With Cardiomyocyte Contractile Capacity and Endothelial Function in Exercise Training and Detraining. *Circulation*. 2004;109(23):2897-2904. doi:10.1161/01.CIR.0000129308.04757.72

22.

KEMI O, HARAM P, LOENNECHEN J, et al. Moderate vs. high exercise intensity: Differential effects on aerobic fitness, cardiomyocyte contractility, and endothelial function. *Cardiovascular Research*. 2005;67(1):161-172. doi:10.1016/j.cardiores.2005.03.010

23.

Kemi OJ, Ellingsen Ø, Ceci M, et al. Aerobic interval training enhances cardiomyocyte contractility and Ca²⁺ cycling by phosphorylation of CaMKII and Thr-17 of phospholamban. *Journal of Molecular and Cellular Cardiology*. 2007;43(3):354-361. doi:10.1016/j.yjmcc.2007.06.013

24.

Kemi OJ, Ceci M, Wisloff U, et al. Activation or inactivation of cardiac Akt/mTOR signaling diverges physiological from pathological hypertrophy. *Journal of Cellular Physiology*. 2008;214(2):316-321. doi:10.1002/jcp.21197

25.

Kemi OJ, Wisløff U. Mechanisms of exercise-induced improvements in the contractile apparatus of the mammalian myocardium. *Acta Physiologica*. 2010;199(4):425-439. doi:10.1111/j.1748-1716.2010.02132.x

26.

Hsu CP, Huang CY, Wang JS, Sun PC, Shih CC. Extracellular Matrix Remodeling Attenuated After Experimental Postinfarct Left Ventricular Aneurysm Repair. *The Annals of Thoracic Surgery*. 2008;86(4):1243-1249. doi:10.1016/j.athoracsur.2008.06.043

27.

Burstein B, Nattel S. Atrial Fibrosis: Mechanisms and Clinical Relevance in Atrial Fibrillation. *Journal of the American College of Cardiology*. 2008;51(8):802-809. doi:10.1016/j.jacc.2007.09.064

28.

KOVANEN V, SUOMINEN H, HEIKKINEN E. Connective tissue of "fast" and "slow" skeletal muscle in rats...effects of endurance training. *Acta Physiologica Scandinavica*. 1980;108(2):173-180. doi:10.1111/j.1748-1716.1980.tb06515.x

29.

Daniels A, van Bilsen M, Goldschmeding R, van der Vusse GJ, van Nieuwenhoven FA. Connective tissue growth factor and cardiac fibrosis. *Acta Physiologica*. 2009;195(3):321-338. doi:10.1111/j.1748-1716.2008.01936.x

30.

Creemers EEJM, Davis JN, Parkhurst AM, et al. Deficiency of TIMP-1 exacerbates LV remodeling after myocardial infarction in mice. *American Journal of Physiology-Heart and Circulatory Physiology*. 2003;284(1):H364-H371. doi:10.1152/ajpheart.00511.2002

31.

Williams PE, Goldspink G. Connective tissue changes in immobilised muscle. *138(2):343-350*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1164074/>

32.

MURPHY G, NAGASE H. Progress in matrix metalloproteinase research. *Molecular Aspects of Medicine*. 2008;29(5):290-308. doi:10.1016/j.mam.2008.05.002

33.

Di Biase V, Franzini-Armstrong C. Evolution of skeletal type e-c coupling. *The Journal of Cell Biology*. 2005;171(4):695-704. doi:10.1083/jcb.200503077

34.

Meeusen R, Piacentini MF, Busschaert B, Buyse L, De Schutter G, Stray-Gundersen J. Hormonal responses in athletes: the use of a two bout exercise protocol to detect subtle differences in (over)training status. *European Journal of Applied Physiology*. 2004;91(2-3):140-146. doi:10.1007/s00421-003-0940-1

35.

BOOTH FW, TSENG BS, FLUCK M, CARSON JA. Molecular and cellular adaptation of muscle in response to physical training. *Acta Physiologica Scandinavica*. 1998;162(3):343-350. doi:10.1046/j.1365-201X.1998.0326e.x

36.

Hill M, Wernig A, Goldspink G. Muscle satellite (stem) cell activation during local tissue injury and repair. *Journal of Anatomy*. 2003;203(1):89-99. doi:10.1046/j.1469-7580.2003.00195.x

37.

Reid MB. Response of the ubiquitin-proteasome pathway to changes in muscle activity. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*. 2005;288(6):R1423-R1431. doi:10.1152/ajpregu.00545.2004

38.

Hambrecht R, Adams V, Erbs S, et al. Regular Physical Activity Improves Endothelial Function in Patients With Coronary Artery Disease by Increasing Phosphorylation of Endothelial Nitric Oxide Synthase. *Circulation*. 2003;107(25):3152-3158. doi:10.1161/01.CIR.0000074229.93804.5C

39.

Haram PM, Adams V, Kemi OJ, et al. Time-course of endothelial adaptation following acute

and regular exercise. *European Journal of Cardiovascular Prevention & Rehabilitation*. 2006;13(4):585-591. doi:10.1097/01.hjr.0000198920.57685.76

40.

Haram PM, Kemi OJ, Wisloff U. Adaptation of endothelium to exercise training: Insights from experimental studies. *1AD*;13:336-346.
<https://www.bioscience.org/2008/v13/af/2683/fulltext.htm>

41.

Linke A, Erbs S, Hambrecht R. Effects of exercise training upon endothelial function in patients with cardiovascular disease. *1AD*;13:424-432.
<https://www.bioscience.org/2008/v13/af/2689/fulltext.htm>

42.

Miyachi M, Iemitsu M, Okutsu M, Onodera S. Effects of endurance training on the size and blood flow of the arterial conductance vessels in humans. *Acta Physiologica Scandinavica*. 1998;163(1):13-16. doi:10.1046/j.1365-201x.1998.0337f.x

43.

Spence AL, Carter HH, Naylor LH, Green DJ. A prospective randomized longitudinal study involving 6 months of endurance or resistance exercise. Conduit artery adaptation in humans. *The Journal of Physiology*. 2013;591(5):1265-1275.
doi:10.1113/jphysiol.2012.247387

44.

Bogdanis GC, Nevill ME, Boobis LH, Lakomy HK, Nevill AM. Recovery of power output and muscle metabolites following 30 s of maximal sprint cycling in man. *The Journal of Physiology*. 1995;482(2):467-480. doi:10.1113/jphysiol.1995.sp020533

45.

Casey A, Constantin-Teodosiu D, Howell S, Hultman E, Greenhaff PL. Creatine ingestion favorably affects performance and muscle metabolism during maximal exercise in humans. *American Journal of Physiology-Endocrinology and Metabolism*. 1996;271(1):E31-E37. doi:10.1152/ajpendo.1996.271.1.E31

46.

Jørgensen SB, Richter EA, Wojtaszewski JFP. Role of AMPK in skeletal muscle metabolic regulation and adaptation in relation to exercise. *The Journal of Physiology*. 2006;574(1):17-31. doi:10.1113/jphysiol.2006.109942

47.

Kiens B, Richter EA. Utilization of skeletal muscle triacylglycerol during postexercise recovery in humans. *American Journal of Physiology-Endocrinology and Metabolism*. 1998;275(2):E332-E337. doi:10.1152/ajpendo.1998.275.2.E332

48.

Tsintzas OK, Williams C, Boobis L, Greenhaff P. Carbohydrate ingestion and single muscle fiber glycogen metabolism during prolonged running in men. *Journal of Applied Physiology*. 1996;81(2):801-809. doi:10.1152/jappl.1996.81.2.801

49.

Walter G, Vandenborne K, McCully KK, Leigh JS. Noninvasive measurement of phosphocreatine recovery kinetics in single human muscles. *American Journal of Physiology-Cell Physiology*. 1997;272(2):C525-C534. doi:10.1152/ajpcell.1997.272.2.C525

50.

KEMI O, HOYDAL M, HARAM P, et al. Exercise training restores aerobic capacity and energy transfer systems in heart failure treated with losartan. *Cardiovascular Research*. 2007;76(1):91-99. doi:10.1016/j.cardiores.2007.06.008

51.

Wisløff U. Aerobic exercise reduces cardiomyocyte hypertrophy and increases contractility, Ca²⁺ sensitivity and SERCA-2 in rat after myocardial infarction. *Cardiovascular Research*. 2002;54(1):162-174. doi:10.1016/S0008-6363(01)00565-X

52.

Wisløff U, Støylen A, Loennechen JP, et al. Superior Cardiovascular Effect of Aerobic Interval Training Versus Moderate Continuous Training in Heart Failure Patients. *Circulation*. 2007;115(24):3086-3094. doi:10.1161/CIRCULATIONAHA.106.675041

53.

Hawley JA, Hargreaves M, Joyner MJ, Zierath JR. Integrative Biology of Exercise. *Cell*. 2014;159(4):738-749. doi:10.1016/j.cell.2014.10.029

54.

Rowe GC, Safdar A, Arany Z. Running Forward. *Circulation*. 2014;129(7):798-810. doi:10.1161/CIRCULATIONAHA.113.001590