

# Cell Physiology of Exercise

BIOL4026

View Online



BAAR, KEITH. 'Training for Endurance and Strength'. *Medicine & Science in Sports & Exercise*, vol. 38, no. 11, Nov. 2006, pp. 1939–44, <https://doi.org/10.1249/01.mss.0000233799.62153.19>.

Baar, Keith, and D. Grahame Hardie. 'Small Molecules Can Have Big Effects on Endurance'. *Nature Chemical Biology*, vol. 4, no. 10, Oct. 2008, pp. 583–84, <https://doi.org/10.1038/nchembio1008-583>.

Barrès, Romain, et al. 'Acute Exercise Remodels Promoter Methylation in Human Skeletal Muscle'. *Cell Metabolism*, vol. 15, no. 3, Mar. 2012, pp. 405–11, <https://doi.org/10.1016/j.cmet.2012.01.001>.

Bogdanis, G. C., et al. 'Recovery of Power Output and Muscle Metabolites Following 30 s of Maximal Sprint Cycling in Man.' *The Journal of Physiology*, vol. 482, no. 2, Jan. 1995, pp. 467–80, <https://doi.org/10.1113/jphysiol.1995.sp020533>.

Boluyt, Marvin O., et al. 'Changes in the Rat Heart Proteome Induced by Exercise Training: Increased Abundance of Heat Shock Protein Hsp20'. *PROTEOMICS*, vol. 6, no. 10, May 2006, pp. 3154–69, <https://doi.org/10.1002/pmic.200401356>.

BOOTH, F. W., et al. 'Molecular and Cellular Adaptation of Muscle in Response to Physical Training'. *Acta Physiologica Scandinavica*, vol. 162, no. 3, Feb. 1998, pp. 343–50, <https://doi.org/10.1046/j.1365-201X.1998.0326e.x>.

Burniston, Jatin G. 'Adaptation of the Rat Cardiac Proteome in Response to Intensity-Controlled Endurance Exercise'. *PROTEOMICS*, vol. 9, no. 1, Jan. 2009, pp. 106–15, <https://doi.org/10.1002/pmic.200800268>.

———. 'Changes in the Rat Skeletal Muscle Proteome Induced by Moderate-Intensity Endurance Exercise'. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*, vol. 1784, nos 7–8, July 2008, pp. 1077–86, <https://doi.org/10.1016/j.bbapap.2008.04.007>.

Burstein, Brett, and Stanley Nattel. 'Atrial Fibrosis: Mechanisms and Clinical Relevance in Atrial Fibrillation'. *Journal of the American College of Cardiology*, vol. 51, no. 8, Feb. 2008, pp. 802–09, <https://doi.org/10.1016/j.jacc.2007.09.064>.

Bye, Anja, Mette Langaas, et al. 'Aerobic Capacity-Dependent Differences in Cardiac Gene Expression'. *Physiological Genomics*, vol. 33, no. 1, Mar. 2008, pp. 100–09, <https://doi.org/10.1152/physiolgenomics.00269.2007>.

Bye, Anja, Morten A. Høydal, et al. 'Gene Expression Profiling of Skeletal Muscle in

Exercise-Trained and Sedentary Rats with Inborn High and Low VO'. *Physiological Genomics*, vol. 35, no. 3, Nov. 2008, pp. 213–21, <https://doi.org/10.1152/physiolgenomics.90282.2008>.

Carè, Alessandra, et al. 'MicroRNA-133 Controls Cardiac Hypertrophy'. *Nature Medicine*, vol. 13, no. 5, May 2007, pp. 613–18, <https://doi.org/10.1038/nm1582>.

Casey, A., et al. 'Creatine Ingestion Favorably Affects Performance and Muscle Metabolism during Maximal Exercise in Humans'. *American Journal of Physiology-Endocrinology and Metabolism*, vol. 271, no. 1, July 1996, pp. E31–37, <https://doi.org/10.1152/ajpendo.1996.271.1.E31>.

Chien, Kenneth R. 'Molecular Medicine: MicroRNAs and the Tell-Tale Heart'. *Nature*, vol. 447, no. 7143, May 2007, pp. 389–90, <https://doi.org/10.1038/447389a>.

Creemers, Esther E. J. M., et al. 'Deficiency of TIMP-1 Exacerbates LV Remodeling after Myocardial Infarction in Mice'. *American Journal of Physiology-Heart and Circulatory Physiology*, vol. 284, no. 1, Jan. 2003, pp. H364–71, <https://doi.org/10.1152/ajpheart.00511.2002>.

Daniels, A., et al. 'Connective Tissue Growth Factor and Cardiac Fibrosis'. *Acta Physiologica*, vol. 195, no. 3, Mar. 2009, pp. 321–38, <https://doi.org/10.1111/j.1748-1716.2008.01936.x>.

Di Biase, Valentina, and Clara Franzini-Armstrong. 'Evolution of Skeletal Type e-c Coupling'. *The Journal of Cell Biology*, vol. 171, no. 4, Nov. 2005, pp. 695–704, <https://doi.org/10.1083/jcb.200503077>.

Diffie, Gary M. 'Adaptation of Cardiac Myocyte Contractile Properties to Exercise Training'. *Exercise and Sport Sciences Reviews*, vol. 32, no. 3, July 2004, pp. 112–19, <https://doi.org/10.1097/00003677-200407000-00007>.

Eto, Yoko, et al. 'Calcineurin Is Activated in Rat Hearts With Physiological Left Ventricular Hypertrophy Induced by Voluntary Exercise Training'. *Circulation*, vol. 101, no. 18, May 2000, pp. 2134–37, <https://doi.org/10.1161/01.CIR.101.18.2134>.

Fernandes, Tiago, et al. 'Aerobic Exercise Training Promotes Physiological Cardiac Remodeling Involving a Set of microRNAs'. *American Journal of Physiology-Heart and Circulatory Physiology*, vol. 309, no. 4, Aug. 2015, pp. H543–52, <https://doi.org/10.1152/ajpheart.00899.2014>.

Hambrecht, R., et al. 'Regular Physical Activity Improves Endothelial Function in Patients With Coronary Artery Disease by Increasing Phosphorylation of Endothelial Nitric Oxide Synthase'. *Circulation*, vol. 107, no. 25, July 2003, pp. 3152–58, <https://doi.org/10.1161/01.CIR.0000074229.93804.5C>.

Haram, Per M., et al. Adaptation of Endothelium to Exercise Training: Insights from Experimental Studies. vol. 13, 1 AD, pp. 336–46, <https://www.bioscience.org/2008/v13/af/2683/fulltext.htm>.

Haram, Per Magnus, et al. 'Time-Course of Endothelial Adaptation Following Acute and Regular Exercise'. *European Journal of Cardiovascular Prevention & Rehabilitation*, vol. 13,

no. 4, Aug. 2006, pp. 585–91, <https://doi.org/10.1097/01.hjr.0000198920.57685.76>.

Hawley, John A., et al. 'Integrative Biology of Exercise'. *Cell*, vol. 159, no. 4, Nov. 2014, pp. 738–49, <https://doi.org/10.1016/j.cell.2014.10.029>.

Hill, Maria, et al. 'Muscle Satellite (Stem) Cell Activation during Local Tissue Injury and Repair'. *Journal of Anatomy*, vol. 203, no. 1, July 2003, pp. 89–99, <https://doi.org/10.1046/j.1469-7580.2003.00195.x>.

Hsu, Chiao-Po, et al. 'Extracellular Matrix Remodeling Attenuated After Experimental Postinfarct Left Ventricular Aneurysm Repair'. *The Annals of Thoracic Surgery*, vol. 86, no. 4, Oct. 2008, pp. 1243–49, <https://doi.org/10.1016/j.athoracsur.2008.06.043>.

Iemitsu, M., et al. 'Gene Expression Profiling of Exercise-Induced Cardiac Hypertrophy in Rats'. *Acta Physiologica Scandinavica*, vol. 185, no. 4, Nov. 2005, pp. 259–70, <https://doi.org/10.1111/j.1365-201X.2005.01494.x>.

Iemitsu, Motoyuki, et al. 'Activation Pattern of MAPK Signaling in the Hearts of Trained and Untrained Rats Following a Single Bout of Exercise'. *Journal of Applied Physiology*, vol. 101, no. 1, July 2006, pp. 151–63, <https://doi.org/10.1152/japplphysiol.00392.2005>.

Jørgensen, Sebastian B., et al. 'Role of AMPK in Skeletal Muscle Metabolic Regulation and Adaptation in Relation to Exercise'. *The Journal of Physiology*, vol. 574, no. 1, July 2006, pp. 17–31, <https://doi.org/10.1113/jphysiol.2006.109942>.

KEMI, O., M. HOYDAL, et al. 'Exercise Training Restores Aerobic Capacity and Energy Transfer Systems in Heart Failure Treated with Losartan'. *Cardiovascular Research*, vol. 76, no. 1, Oct. 2007, pp. 91–99, <https://doi.org/10.1016/j.cardiores.2007.06.008>.

KEMI, O., P. HARAM, et al. 'Moderate vs. High Exercise Intensity: Differential Effects on Aerobic Fitness, Cardiomyocyte Contractility, and Endothelial Function'. *Cardiovascular Research*, vol. 67, no. 1, July 2005, pp. 161–72, <https://doi.org/10.1016/j.cardiores.2005.03.010>.

Kemi, O. J., and U. Wisløff. 'Mechanisms of Exercise-Induced Improvements in the Contractile Apparatus of the Mammalian Myocardium'. *Acta Physiologica*, vol. 199, no. 4, Aug. 2010, pp. 425–39, <https://doi.org/10.1111/j.1748-1716.2010.02132.x>.

Kemi, Ole J., et al. 'Aerobic Interval Training Enhances Cardiomyocyte Contractility and Ca<sup>2+</sup> Cycling by Phosphorylation of CaMKII and Thr-17 of Phospholamban'. *Journal of Molecular and Cellular Cardiology*, vol. 43, no. 3, Sept. 2007, pp. 354–61, <https://doi.org/10.1016/j.yjmcc.2007.06.013>.

Kemi, Ole Johan, Marcello Ceci, et al. 'Activation or Inactivation of Cardiac Akt/mTOR Signaling Diverges Physiological from Pathological Hypertrophy'. *Journal of Cellular Physiology*, vol. 214, no. 2, Feb. 2008, pp. 316–21, <https://doi.org/10.1002/jcp.21197>.

Kemi, Ole Johan, Per Magnus Haram, et al. 'Aerobic Fitness Is Associated With Cardiomyocyte Contractile Capacity and Endothelial Function in Exercise Training and Detraining'. *Circulation*, vol. 109, no. 23, June 2004, pp. 2897–904, <https://doi.org/10.1161/01.CIR.0000129308.04757.72>.

Kiens, Bente, and Erik A. Richter. 'Utilization of Skeletal Muscle Triacylglycerol during Postexercise Recovery in Humans'. *American Journal of Physiology-Endocrinology and Metabolism*, vol. 275, no. 2, Aug. 1998, pp. E332-37, <https://doi.org/10.1152/ajpendo.1998.275.2.E332>.

Kong, Sek Won, et al. 'Genetic Expression Profiles during Physiological and Pathological Cardiac Hypertrophy and Heart Failure in Rats'. *Physiological Genomics*, vol. 21, no. 1, Mar. 2005, pp. 34-42, <https://doi.org/10.1152/physiolgenomics.00226.2004>.

KOVANEN, VUOKKO, et al. 'Connective Tissue of "fast" and "Slow" Skeletal Muscle in Rats...effects of Endurance Training'. *Acta Physiologica Scandinavica*, vol. 108, no. 2, Feb. 1980, pp. 173-80, <https://doi.org/10.1111/j.1748-1716.1980.tb06515.x>.

Linke, Axel, et al. Effects of Exercise Training upon Endothelial Function in Patients with Cardiovascular Disease. vol. 13, 1 AD, pp. 424-32, <https://www.bioscience.org/2008/v13/af/2689/fulltext.htm>.

Lundby, C., et al. 'Biology of VO<sub>2</sub> Max: Looking under the Physiology Lamp'. *Acta Physiologica*, vol. 220, no. 2, June 2017, pp. 218-28, <https://doi.org/10.1111/apha.12827>.

Maillet, Marjorie, et al. 'Molecular Basis of Physiological Heart Growth: Fundamental Concepts and New Players'. *Nature Reviews Molecular Cell Biology*, vol. 14, no. 1, Jan. 2013, pp. 38-48, <https://doi.org/10.1038/nrm3495>.

Meeusen, R., et al. 'Hormonal Responses in Athletes: The Use of a Two Bout Exercise Protocol to Detect Subtle Differences in (over)Training Status'. *European Journal of Applied Physiology*, vol. 91, nos 2-3, Mar. 2004, pp. 140-46, <https://doi.org/10.1007/s00421-003-0940-1>.

Miyachi, M., et al. 'Effects of Endurance Training on the Size and Blood Flow of the Arterial Conductance Vessels in Humans'. *Acta Physiologica Scandinavica*, vol. 163, no. 1, May 1998, pp. 13-16, <https://doi.org/10.1046/j.1365-201x.1998.0337f.x>.

MURPHY, G., and H. NAGASE. 'Progress in Matrix Metalloproteinase Research'. *Molecular Aspects of Medicine*, vol. 29, no. 5, Oct. 2008, pp. 290-308, <https://doi.org/10.1016/j.mam.2008.05.002>.

Ramey, David W. How to Read a Scientific Paper. *AAEP PROCEEDINGS*, 1999, pp. 280-84, <https://pdfs.semanticscholar.org/104b/3127547393d6b94a8641100e9c297d653f56.pdf>.

Reid, Michael B. 'Response of the Ubiquitin-Proteasome Pathway to Changes in Muscle Activity'. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, vol. 288, no. 6, June 2005, pp. R1423-31, <https://doi.org/10.1152/ajpregu.00545.2004>.

Rowe, Glenn C., et al. 'Running Forward'. *Circulation*, vol. 129, no. 7, Feb. 2014, pp. 798-810, <https://doi.org/10.1161/CIRCULATIONAHA.113.001590>.

Spence, Angela L., et al. 'A Prospective Randomized Longitudinal Study Involving 6 Months of Endurance or Resistance Exercise. Conduit Artery Adaptation in Humans'. *The Journal of Physiology*, vol. 591, no. 5, Mar. 2013, pp. 1265-75,

<https://doi.org/10.1113/jphysiol.2012.247387>.

Tsintzas, O. K., et al. 'Carbohydrate Ingestion and Single Muscle Fiber Glycogen Metabolism during Prolonged Running in Men'. *Journal of Applied Physiology*, vol. 81, no. 2, Aug. 1996, pp. 801–09, <https://doi.org/10.1152/jappl.1996.81.2.801>.

Walter, G., et al. 'Noninvasive Measurement of Phosphocreatine Recovery Kinetics in Single Human Muscles'. *American Journal of Physiology-Cell Physiology*, vol. 272, no. 2, Feb. 1997, pp. C525–34, <https://doi.org/10.1152/ajpcell.1997.272.2.C525>.

Wilkins, Benjamin J., et al. 'Calcineurin/NFAT Coupling Participates in Pathological, but Not Physiological, Cardiac Hypertrophy'. *Circulation Research*, vol. 94, no. 1, Jan. 2004, pp. 110–18, <https://doi.org/10.1161/01.RES.0000109415.17511.18>.

Williams, P. E., and G. Goldspink. *Connective Tissue Changes in Immobilised Muscle*. vol. 138, no. 2, pp. 343–50, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1164074/>.

Wisløff, U. 'Aerobic Exercise Reduces Cardiomyocyte Hypertrophy and Increases Contractility, Ca<sup>2+</sup> Sensitivity and SERCA-2 in Rat after Myocardial Infarction'. *Cardiovascular Research*, vol. 54, no. 1, Apr. 2002, pp. 162–74, [https://doi.org/10.1016/S0008-6363\(01\)00565-X](https://doi.org/10.1016/S0008-6363(01)00565-X).

Wisløff, Ulrik, et al. 'Superior Cardiovascular Effect of Aerobic Interval Training Versus Moderate Continuous Training in Heart Failure Patients'. *Circulation*, vol. 115, no. 24, June 2007, pp. 3086–94, <https://doi.org/10.1161/CIRCULATIONAHA.106.675041>.