

Fundamental Topics in Immunology B. BIOL4185

[View Online](#)

1

Williams MA, Bevan MJ. Effector and Memory CTL Differentiation. Annual Review of Immunology 2007;**25**:171–92. doi:10.1146/annurev.immunol.25.022106.141548

2

Nierkens S, Tel J, Janssen E, et al. Antigen cross-presentation by dendritic cell subsets: one general or all sergeants? Trends in Immunology 2013;**34**:361–70. doi:10.1016/j.it.2013.02.007

3

Duan S, Thomas PG. Balancing Immune Protection and Immune Pathology by CD8+ T-Cell Responses to Influenza Infection. Frontiers in Immunology 2016;**7**. doi:10.3389/fimmu.2016.00025

4

Zhu J, Yamane H, Paul WE. Differentiation of Effector CD4 T Cell Populations. Annual Review of Immunology 2010;**28**:445–89. doi:10.1146/annurev-immunol-030409-101212

5

Murphy KM, Stockinger B. Effector T cell plasticity: flexibility in the face of changing circumstances. Nature Immunology 2010;**11**:674–80. doi:10.1038/ni.1899

6

Yamane H, Paul WE. Cytokines of the γ c family control CD4+ T cell differentiation and function. *Nature Immunology* 2012;**13**:1037–44. doi:10.1038/ni.2431

7

Arbore G, West EE, Spolski R, et al. T helper 1 immunity requires complement-driven NLRP3 inflammasome activity in CD4+ T cells. *Science* 2016;**352**:aad1210–aad1210. doi:10.1126/science.aad1210

8

Vinuesa CG, Linterman MA, Goodnow CC, et al. T cells and follicular dendritic cells in germinal center B-cell formation and selection. *Immunological Reviews* 2010;**237**:72–89. doi:10.1111/j.1600-065X.2010.00937.x

9

Yu D, Vinuesa CG. The elusive identity of T follicular helper cells. *Trends in Immunology* 2010;**31**:377–83. doi:10.1016/j.it.2010.07.001

10

Vinuesa CG, Sanz I, Cook MC. Dysregulation of germinal centres in autoimmune disease. *Nature Reviews Immunology* 2009;**9**:845–57. doi:10.1038/nri2637

11

Jameson SC, Masopust D. Diversity in T Cell Memory: An Embarrassment of Riches. *Immunity* 2009;**31**:859–71. doi:10.1016/j.immuni.2009.11.007

12

Mueller SN, Gebhardt T, Carbone FR, et al. Memory T Cell Subsets, Migration Patterns, and Tissue Residence. *Annual Review of Immunology* 2013;**31**:137–61. doi:10.1146/annurev-immunol-032712-095954

13

ORIGINS OF CD4 EFFECTOR AND CENTRAL MEMORY T CELLS. *Nature immunology*; **12**. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4212218/>

14

Mueller SN, Mackay LK. Tissue-resident memory T cells: local specialists in immune defence. *Nature Reviews Immunology* 2015; **16**:79–89. doi:10.1038/nri.2015.3

15

Wherry EJ. T cell exhaustion. *Nature Immunology* 2011; **13**:492–9. doi:10.1038/ni.2035

16

Reiner SL, Sallusto F, Lanzavecchia A. Division of Labor with a Workforce of One: Challenges in Specifying Effector and Memory T Cell Fate. *Science* 2007; **317**:622–5. doi:10.1126/science.1143775

17

Baumgarth N. Innate-Like B Cells and Their Rules of Engagement. In: Katsikis PD, Schoenberger SP, Pulendran B, eds. *Crossroads Between Innate and Adaptive Immunity IV*. New York, NY: : Springer New York 2013. 57–66. doi:10.1007/978-1-4614-6217-0_7

18

Rosser EC, Blair PA, Mauri C. Cellular targets of regulatory B cell-mediated suppression. *Molecular Immunology* 2014; **62**:296–304. doi:10.1016/j.molimm.2014.01.014

19

Cerutti A, Cols M, Puga I. Marginal zone B cells: virtues of innate-like antibody-producing lymphocytes. *Nature Reviews Immunology* 2013; **13**:118–32. doi:10.1038/nri3383

20

Cerutti A, Puga I, Magri G. The B cell helper side of neutrophils. *Journal of Leukocyte Biology* 2013; **94**:677–82. doi:10.1189/jlb.1112596

21

Garraud O, Borhis G, Badr G, et al. Revisiting the B-cell compartment in mouse and humans: more than one B-cell subset exists in the marginal zone and beyond. *BMC Immunology* 2012;**13**. doi:10.1186/1471-2172-13-63

22

Vazquez MI, Catalan-Dibene J, Zlotnik A. B cells responses and cytokine production are regulated by their immune microenvironment. *Cytokine* 2015;**74**:318–26. doi:10.1016/j.cyto.2015.02.007

23

Pillai S, Cariappa A. The follicular versus marginal zone B lymphocyte cell fate decision. *Nature Reviews Immunology* 2009;**9**:767–77. doi:10.1038/nri2656

24

Giltiay NV, Chappell CP, Clark EA. B-cell selection and the development of autoantibodies. *Arthritis Research & Therapy* 2012;**14**. doi:10.1186/ar3918

25

Shaikh SR, Haas KM, Beck MA, et al. The effects of diet-induced obesity on B cell function. *Clinical & Experimental Immunology* 2015;**179**:90–9. doi:10.1111/cei.12444

26

Shih H-Y, Sciumè G, Poholek AC, et al. Transcriptional and epigenetic networks of helper T and innate lymphoid cells. *Immunological Reviews* 2014;**261**:23–49. doi:10.1111/imr.12208

27

SpringerLink (Online service). Transcriptional control of lineage differentiation in immune cells. Cham: : Springer 2014.
<http://ezproxy.lib.gla.ac.uk/login?url=http://dx.doi.org/10.1007/978-3-319-07395-8>

28

O'Shea JJ, Holland SM, Staudt LM. JAKs and STATs in Immunity, Immunodeficiency, and Cancer. *New England Journal of Medicine* 2013;**368**:161–70. doi:10.1056/NEJMra1202117

29

Yamane H, Paul WE. Early signaling events that underlie fate decisions of naive CD4 T cells toward distinct T-helper cell subsets. *Immunological Reviews* 2013;**252**:12–23. doi:10.1111/imr.12032

30

Banchereau J, Pascual V, O'Garra A. From IL-2 to IL-37: the expanding spectrum of anti-inflammatory cytokines. *Nature Immunology* 2012;**13**:925–31. doi:10.1038/ni.2406

31

Basu R, Hatton RD, Weaver CT. The Th17 family: flexibility follows function. *Immunological Reviews* 2013;**252**:89–103. doi:10.1111/imr.12035

32

Yamane H, Paul WE. Cytokines of the γc family control CD4⁺ T cell differentiation and function. *Nature Immunology* 2012;**13**:1037–44. doi:10.1038/ni.2431

33

Durbin RK, Kotenko SV, Durbin JE. Interferon induction and function at the mucosal surface. *Immunological Reviews* 2013;**255**:25–39. doi:10.1111/imr.12101

34

Yamane H, Paul WE. Memory CD4⁺ T Cells: fate determination, positive feedback and plasticity. *Cellular and Molecular Life Sciences* 2012;**69**:1577–83. doi:10.1007/s00018-012-0966-9

35

Josefowicz SZ, Lu L-F, Rudensky AY. Regulatory T Cells: Mechanisms of Differentiation and Function. Annual Review of Immunology 2012;**30**:531–64.
doi:10.1146/annurev.immunol.25.022106.141623

36

Sakaguchi S, Miyara M, Costantino CM, et al. FOXP3+ regulatory T cells in the human immune system. Nature Reviews Immunology 2010;**10**:490–500. doi:10.1038/nri2785

37

Li MO, Rudensky AY. T cell receptor signalling in the control of regulatory T cell differentiation and function. Nature Reviews Immunology 2016;**16**:220–33.
doi:10.1038/nri.2016.26

38

Liston A, Gray DHD. Homeostatic control of regulatory T cell diversity. Nature Reviews Immunology 2014;**14**:154–65. doi:10.1038/nri3605

39

Zhou L, Chong MMW, Littman DR. Plasticity of CD4+ T Cell Lineage Differentiation. Immunity 2009;**30**:646–55. doi:10.1016/j.immuni.2009.05.001

40

Shevach EM. Mechanisms of Foxp3+ T Regulatory Cell-Mediated Suppression. Immunity 2009;**30**:636–45. doi:10.1016/j.immuni.2009.04.010

41

Curotto de Lafaille MA, Lafaille JJ. Natural and Adaptive Foxp3+ Regulatory T Cells: More of the Same or a Division of Labor? Immunity 2009;**30**:626–35.
doi:10.1016/j.immuni.2009.05.002

42

Sakaguchi S, Vignali DAA, Rudensky AY, et al. The plasticity and stability of regulatory T cells. *Nature Reviews Immunology* 2013;**13**:461–7. doi:10.1038/nri3464

43

Xing Y, Hogquist KA. T-Cell Tolerance: Central and Peripheral. *Cold Spring Harbor Perspectives in Biology* 2012;**4**:a006957–a006957. doi:10.1101/cshperspect.a006957

44

Bilate AM, Lafaille JJ. Induced CD4⁺ Foxp3⁺ Regulatory T Cells in Immune Tolerance. *Annual Review of Immunology* 2012;**30**:733–58. doi:10.1146/annurev-immunol-020711-075043

45

Schmidt SV, Nino-Castro AC, Schultze JL. Regulatory dendritic cells: there is more than just immune activation. *Frontiers in Immunology* 2012;**3**. doi:10.3389/fimmu.2012.00274

46

Weiner HL, da Cunha AP, Quintana F, et al. Oral tolerance. *Immunological Reviews* 2011;**241**:241–59. doi:10.1111/j.1600-065X.2011.01017.x

47

Tanoue T, Atarashi K, Honda K. Development and maintenance of intestinal regulatory T cells. *Nature Reviews Immunology* 2016;**16**:295–309. doi:10.1038/nri.2016.36

48

Poon IKH, Lucas CD, Rossi AG, et al. Apoptotic cell clearance: basic biology and therapeutic potential. *Nature Reviews Immunology* 2014;**14**:166–80. doi:10.1038/nri3607

49

Costello EK, Lauber CL, Hamady M, et al. Bacterial Community Variation in Human Body Habitats Across Space and Time. *Science* 2009;**326**:1694–7. doi:10.1126/science.1177486

50

Bravo-Blas A, Wessel H, Milling S. Microbiota and arthritis. *Current Opinion in Rheumatology* Published Online First: January 2016. doi:10.1097/BOR.0000000000000261

51

Chu H, Khosravi A, Kusumawardhani IP, et al. Gene-microbiota interactions contribute to the pathogenesis of inflammatory bowel disease. *Science* 2016;**352**:1116–20. doi:10.1126/science.aad9948

52

Mowat AMCl. Anatomical basis of tolerance and immunity to intestinal antigens. *Nature Reviews Immunology* 2003;**3**:331–41. doi:10.1038/nri1057

53

Förster R, Davalos-Missslitz AC, Rot A. CCR7 and its ligands: balancing immunity and tolerance. *Nature Reviews Immunology* 2008;**8**:362–71. doi:10.1038/nri2297

54

Cyster JG. B cell follicles and antigen encounters of the third kind. *Nature Immunology* 2010;**11**:989–96. doi:10.1038/ni.1946

55

Schumann K, Lämmermann T, Bruckner M, et al. Immobilized Chemokine Fields and Soluble Chemokine Gradients Cooperatively Shape Migration Patterns of Dendritic Cells. *Immunity* 2010;**32**:703–13. doi:10.1016/j.immuni.2010.04.017

56

Weber M, Hauschild R, Schwarz J, et al. Interstitial Dendritic Cell Guidance by Haptotactic Chemokine Gradients. *Science* 2013;**339**:328–32. doi:10.1126/science.1228456

57

Ulvmar MH, Werth K, Braun A, et al. The atypical chemokine receptor CCRL1 shapes functional CCL21 gradients in lymph nodes. *Nature Immunology* 2014;**15**:623–30. doi:10.1038/ni.2889

58

Nibbs RJB, Graham GJ. Immune regulation by atypical chemokine receptors. *Nature Reviews Immunology* 2013;**13**:815–29. doi:10.1038/nri3544

59

Braun A, Worbs T, Moschovakis GL, et al. Afferent lymph–derived T cells and DCs use different chemokine receptor CCR7–dependent routes for entry into the lymph node and intranodal migration. *Nature Immunology* 2011;**12**:879–87. doi:10.1038/ni.2085