

Fundamental Topics in Immunology B. BIOL4185

[View Online](#)

[1]

M. A. Williams and M. J. Bevan, 'Effector and Memory CTL Differentiation', Annual Review of Immunology, vol. 25, no. 1, pp. 171–192, Apr. 2007, doi: 10.1146/annurev.immunol.25.022106.141548.

[2]

S. Nierkens, J. Tel, E. Janssen, and G. J. Adema, 'Antigen cross-presentation by dendritic cell subsets: one general or all sergeants?', Trends in Immunology, vol. 34, no. 8, pp. 361–370, Aug. 2013, doi: 10.1016/j.it.2013.02.007.

[3]

S. Duan and P. G. Thomas, 'Balancing Immune Protection and Immune Pathology by CD8+ T-Cell Responses to Influenza Infection', Frontiers in Immunology, vol. 7, Feb. 2016, doi: 10.3389/fimmu.2016.00025.

[4]

J. Zhu, H. Yamane, and W. E. Paul, 'Differentiation of Effector CD4 T Cell Populations', Annual Review of Immunology, vol. 28, no. 1, pp. 445–489, Mar. 2010, doi: 10.1146/annurev-immunol-030409-101212.

[5]

K. M. Murphy and B. Stockinger, 'Effector T cell plasticity: flexibility in the face of changing circumstances', Nature Immunology, vol. 11, no. 8, pp. 674–680, Aug. 2010, doi: 10.1038/ni.1899.

[6]

H. Yamane and W. E. Paul, 'Cytokines of the γc family control CD4+ T cell differentiation and function', *Nature Immunology*, vol. 13, no. 11, pp. 1037–1044, Oct. 2012, doi: 10.1038/ni.2431.

[7]

G. Arbore et al., 'T helper 1 immunity requires complement-driven NLRP3 inflammasome activity in CD4+ T cells', *Science*, vol. 352, no. 6292, pp. aad1210–aad1210, Jun. 2016, doi: 10.1126/science.aad1210.

[8]

C. G. Vinuesa, M. A. Linterman, C. C. Goodnow, and K. L. Randall, 'T cells and follicular dendritic cells in germinal center B-cell formation and selection', *Immunological Reviews*, vol. 237, no. 1, pp. 72–89, Aug. 2010, doi: 10.1111/j.1600-065X.2010.00937.x.

[9]

D. Yu and C. G. Vinuesa, 'The elusive identity of T follicular helper cells', *Trends in Immunology*, vol. 31, no. 10, pp. 377–383, Oct. 2010, doi: 10.1016/j.it.2010.07.001.

[10]

C. G. Vinuesa, I. Sanz, and M. C. Cook, 'Dysregulation of germinal centres in autoimmune disease', *Nature Reviews Immunology*, vol. 9, no. 12, pp. 845–857, Dec. 2009, doi: 10.1038/nri2637.

[11]

S. C. Jameson and D. Masopust, 'Diversity in T Cell Memory: An Embarrassment of Riches', *Immunity*, vol. 31, no. 6, pp. 859–871, Dec. 2009, doi: 10.1016/j.immuni.2009.11.007.

[12]

S. N. Mueller, T. Gebhardt, F. R. Carbone, and W. R. Heath, 'Memory T Cell Subsets, Migration Patterns, and Tissue Residence', *Annual Review of Immunology*, vol. 31, no. 1, pp. 137–161, Mar. 2013, doi: 10.1146/annurev-immunol-032712-095954.

[13]

'ORIGINS OF CD4 EFFECTOR AND CENTRAL MEMORY T CELLS', *Nature immunology*, vol. 12, no. 6 [Online]. Available: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4212218/>

[14]

S. N. Mueller and L. K. Mackay, 'Tissue-resident memory T cells: local specialists in immune defence', *Nature Reviews Immunology*, vol. 16, no. 2, pp. 79–89, Dec. 2015, doi: 10.1038/nri.2015.3.

[15]

E. J. Wherry, 'T cell exhaustion', *Nature Immunology*, vol. 131, no. 6, pp. 492–499, Jun. 2011, doi: 10.1038/ni.2035.

[16]

S. L. Reiner, F. Sallusto, and A. Lanzavecchia, 'Division of Labor with a Workforce of One: Challenges in Specifying Effector and Memory T Cell Fate', *Science*, vol. 317, no. 5838, pp. 622–625, Aug. 2007, doi: 10.1126/science.1143775.

[17]

N. Baumgarth, 'Innate-Like B Cells and Their Rules of Engagement', in *Crossroads Between Innate and Adaptive Immunity IV*, vol. 785, P. D. Katsikis, S. P. Schoenberger, and B. Pulendran, Eds. New York, NY: Springer New York, 2013, pp. 57–66 [Online]. Available: http://link.springer.com/10.1007/978-1-4614-6217-0_7

[18]

E. C. Rosser, P. A. Blair, and C. Mauri, 'Cellular targets of regulatory B cell-mediated suppression', *Molecular Immunology*, vol. 62, no. 2, pp. 296–304, Dec. 2014, doi: 10.1016/j.molimm.2014.01.014.

[19]

A. Cerutti, M. Cols, and I. Puga, 'Marginal zone B cells: virtues of innate-like

antibody-producing lymphocytes', *Nature Reviews Immunology*, vol. 13, no. 2, pp. 118–132, Jan. 2013, doi: 10.1038/nri3383.

[20]

A. Cerutti, I. Puga, and G. Magri, 'The B cell helper side of neutrophils', *Journal of Leukocyte Biology*, vol. 94, no. 4, pp. 677–682, Oct. 2013, doi: 10.1189/jlb.1112596.

[21]

O. Garraud et al., 'Revisiting the B-cell compartment in mouse and humans: more than one B-cell subset exists in the marginal zone and beyond', *BMC Immunology*, vol. 13, no. 1, 2012, doi: 10.1186/1471-2172-13-63.

[22]

M. I. Vazquez, J. Catalan-Dibene, and A. Zlotnik, 'B cells responses and cytokine production are regulated by their immune microenvironment', *Cytokine*, vol. 74, no. 2, pp. 318–326, Aug. 2015, doi: 10.1016/j.cyto.2015.02.007.

[23]

S. Pillai and A. Cariappa, 'The follicular versus marginal zone B lymphocyte cell fate decision', *Nature Reviews Immunology*, vol. 9, no. 11, pp. 767–777, Nov. 2009, doi: 10.1038/nri2656.

[24]

N. V. Giltiay, C. P. Chappell, and E. A. Clark, 'B-cell selection and the development of autoantibodies', *Arthritis Research & Therapy*, vol. 14, no. Suppl 4, 2012, doi: 10.1186/ar3918.

[25]

S. R. Shaikh, K. M. Haas, M. A. Beck, and H. Teague, 'The effects of diet-induced obesity on B cell function', *Clinical & Experimental Immunology*, vol. 179, no. 1, pp. 90–99, Jan. 2015, doi: 10.1111/cei.12444.

[26]

H.-Y. Shih et al., 'Transcriptional and epigenetic networks of helper T and innate lymphoid cells', *Immunological Reviews*, vol. 261, no. 1, pp. 23–49, Sep. 2014, doi: 10.1111/imr.12208.

[27]

SpringerLink (Online service), Transcriptional control of lineage differentiation in immune cells, vol. volume 381. Cham: Springer, 2014 [Online]. Available: <http://ezproxy.lib.gla.ac.uk/login?url=http://dx.doi.org/10.1007/978-3-319-07395-8>

[28]

J. J. O'Shea, S. M. Holland, and L. M. Staudt, 'JAKs and STATs in Immunity, Immunodeficiency, and Cancer', *New England Journal of Medicine*, vol. 368, no. 2, pp. 161–170, Jan. 2013, doi: 10.1056/NEJMra1202117.

[29]

H. Yamane and W. E. Paul, 'Early signaling events that underlie fate decisions of naive CD4⁺ T cells toward distinct T-helper cell subsets', *Immunological Reviews*, vol. 252, no. 1, pp. 12–23, Mar. 2013, doi: 10.1111/imr.12032.

[30]

J. Banchereau, V. Pascual, and A. O'Garra, 'From IL-2 to IL-37: the expanding spectrum of anti-inflammatory cytokines', *Nature Immunology*, vol. 13, no. 10, pp. 925–931, Sep. 2012, doi: 10.1038/ni.2406.

[31]

R. Basu, R. D. Hatton, and C. T. Weaver, 'The Th17 family: flexibility follows function', *Immunological Reviews*, vol. 252, no. 1, pp. 89–103, Mar. 2013, doi: 10.1111/imr.12035.

[32]

H. Yamane and W. E. Paul, 'Cytokines of the γ c family control CD4⁺ T cell differentiation and function', *Nature Immunology*, vol. 13, no. 11, pp. 1037–1044, Oct. 2012, doi:

10.1038/nr.2431.

[33]

R. K. Durbin, S. V. Kotenko, and J. E. Durbin, 'Interferon induction and function at the mucosal surface', *Immunological Reviews*, vol. 255, no. 1, pp. 25–39, Sep. 2013, doi: 10.1111/imr.12101.

[34]

H. Yamane and W. E. Paul, 'Memory CD4+ T Cells: fate determination, positive feedback and plasticity', *Cellular and Molecular Life Sciences*, vol. 69, no. 10, pp. 1577–1583, May 2012, doi: 10.1007/s00018-012-0966-9.

[35]

S. Z. Josefowicz, L.-F. Lu, and A. Y. Rudensky, 'Regulatory T Cells: Mechanisms of Differentiation and Function', *Annual Review of Immunology*, vol. 30, no. 1, pp. 531–564, Apr. 2012, doi: 10.1146/annurev.immunol.25.022106.141623.

[36]

S. Sakaguchi, M. Miyara, C. M. Costantino, and D. A. Hafler, 'FOXP3+ regulatory T cells in the human immune system', *Nature Reviews Immunology*, vol. 10, no. 7, pp. 490–500, Jul. 2010, doi: 10.1038/nri2785.

[37]

M. O. Li and A. Y. Rudensky, 'T cell receptor signalling in the control of regulatory T cell differentiation and function', *Nature Reviews Immunology*, vol. 16, no. 4, pp. 220–233, Mar. 2016, doi: 10.1038/nri.2016.26.

[38]

A. Liston and D. H. D. Gray, 'Homeostatic control of regulatory T cell diversity', *Nature Reviews Immunology*, vol. 14, no. 3, pp. 154–165, Jan. 2014, doi: 10.1038/nri3605.

[39]

L. Zhou, M. M. W. Chong, and D. R. Littman, 'Plasticity of CD4+ T Cell Lineage Differentiation', *Immunity*, vol. 30, no. 5, pp. 646–655, May 2009, doi: 10.1016/j.immuni.2009.05.001.

[40]

E. M. Shevach, 'Mechanisms of Foxp3+ T Regulatory Cell-Mediated Suppression', *Immunity*, vol. 30, no. 5, pp. 636–645, May 2009, doi: 10.1016/j.immuni.2009.04.010.

[41]

M. A. Curotto de Lafaille and J. J. Lafaille, 'Natural and Adaptive Foxp3+ Regulatory T Cells: More of the Same or a Division of Labor?', *Immunity*, vol. 30, no. 5, pp. 626–635, May 2009, doi: 10.1016/j.immuni.2009.05.002.

[42]

S. Sakaguchi, D. A. A. Vignali, A. Y. Rudensky, R. E. Niec, and H. Waldmann, 'The plasticity and stability of regulatory T cells', *Nature Reviews Immunology*, vol. 13, no. 6, pp. 461–467, May 2013, doi: 10.1038/nri3464.

[43]

Y. Xing and K. A. Hogquist, 'T-Cell Tolerance: Central and Peripheral', *Cold Spring Harbor Perspectives in Biology*, vol. 4, no. 6, pp. a006957–a006957, Jun. 2012, doi: 10.1101/cshperspect.a006957.

[44]

A. M. Bilate and J. J. Lafaille, 'Induced CD4⁺ Foxp3⁺ Regulatory T Cells in Immune Tolerance', *Annual Review of Immunology*, vol. 30, no. 1, pp. 733–758, Apr. 2012, doi: 10.1146/annurev-immunol-020711-075043.

[45]

S. V. Schmidt, A. C. Nino-Castro, and J. L. Schultze, 'Regulatory dendritic cells: there is more than just immune activation', *Frontiers in Immunology*, vol. 3, 2012, doi: 10.3389/fimmu.2012.00274.

[46]

H. L. Weiner, A. P. da Cunha, F. Quintana, and H. Wu, 'Oral tolerance', *Immunological Reviews*, vol. 241, no. 1, pp. 241–259, May 2011, doi: 10.1111/j.1600-065X.2011.01017.x.

[47]

T. Tanoue, K. Atarashi, and K. Honda, 'Development and maintenance of intestinal regulatory T cells', *Nature Reviews Immunology*, vol. 16, no. 5, pp. 295–309, Apr. 2016, doi: 10.1038/nri.2016.36.

[48]

I. K. H. Poon, C. D. Lucas, A. G. Rossi, and K. S. Ravichandran, 'Apoptotic cell clearance: basic biology and therapeutic potential', *Nature Reviews Immunology*, vol. 14, no. 3, pp. 166–180, Jan. 2014, doi: 10.1038/nri3607.

[49]

E. K. Costello, C. L. Lauber, M. Hamady, N. Fierer, J. I. Gordon, and R. Knight, 'Bacterial Community Variation in Human Body Habitats Across Space and Time', *Science*, vol. 326, no. 5960, pp. 1694–1697, Dec. 2009, doi: 10.1126/science.1177486.

[50]

A. Bravo-Blas, H. Wessel, and S. Milling, 'Microbiota and arthritis', *Current Opinion in Rheumatology*, Jan. 2016, doi: 10.1097/BOR.0000000000000261.

[51]

H. Chu et al., 'Gene-microbiota interactions contribute to the pathogenesis of inflammatory bowel disease', *Science*, vol. 352, no. 6289, pp. 1116–1120, May 2016, doi: 10.1126/science.aad9948.

[52]

A. Mcl. Mowat, 'Anatomical basis of tolerance and immunity to intestinal antigens', *Nature Reviews Immunology*, vol. 3, no. 4, pp. 331–341, Apr. 2003, doi: 10.1038/nri1057.

[53]

R. Förster, A. C. Davalos-Misslitz, and A. Rot, 'CCR7 and its ligands: balancing immunity and tolerance', *Nature Reviews Immunology*, vol. 8, no. 5, pp. 362–371, May 2008, doi: 10.1038/nri2297.

[54]

J. G. Cyster, 'B cell follicles and antigen encounters of the third kind', *Nature Immunology*, vol. 11, no. 11, pp. 989–996, Nov. 2010, doi: 10.1038/ni.1946.

[55]

K. Schumann et al., 'Immobilized Chemokine Fields and Soluble Chemokine Gradients Cooperatively Shape Migration Patterns of Dendritic Cells', *Immunity*, vol. 32, no. 5, pp. 703–713, May 2010, doi: 10.1016/j.immuni.2010.04.017.

[56]

M. Weber et al., 'Interstitial Dendritic Cell Guidance by Haptotactic Chemokine Gradients', *Science*, vol. 339, no. 6117, pp. 328–332, Jan. 2013, doi: 10.1126/science.1228456.

[57]

M. H. Ulvmar et al., 'The atypical chemokine receptor CCRL1 shapes functional CCL21 gradients in lymph nodes', *Nature Immunology*, vol. 15, no. 7, pp. 623–630, May 2014, doi: 10.1038/ni.2889.

[58]

R. J. B. Nibbs and G. J. Graham, 'Immune regulation by atypical chemokine receptors', *Nature Reviews Immunology*, vol. 13, no. 11, pp. 815–829, Oct. 2013, doi: 10.1038/nri3544.

[59]

A. Braun et al., 'Afferent lymph-derived T cells and DCs use different chemokine receptor CCR7-dependent routes for entry into the lymph node and intranodal migration', *Nature*

Immunology, vol. 12, no. 9, pp. 879–887, Aug. 2011, doi: 10.1038/ni.2085.